

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JUL 11 1983

Returned to applicant for correction AUG 31 1983

Corrected application filed Map filed MAR 26 1981 under 43400

The applicant Carson City

2621 Northgate Lane, Suite 59 of Carson City

Nevada 89701 Street and No. or P.O. Box No. Carson City City or Town

State and Zip Code No. hereby make<sup>s</sup> application for permission to change the manner of use and place of use

Point of diversion, manner of use, and/or place of use

25546 of water heretofore appropriated under 25546  
(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Identify right in Decree.

1. The source of water is Gregory's Canyon Creek (Ash Canyon)  
Name of stream, lake, underground spring or other source.

2. The amount of water to be changed 16.367/100% of the flow  
Second feet, acre feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for municipal  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

4. The water heretofore permitted for irrigation and domestic  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

5. The water is to be diverted at the following point SE 1/4 SW 1/4 Sec. 12 T.15N., R.19E., M.D.B.&M.,  
Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.  
from which the SW corner of said Sec. 12 bears S. 75° 35' 47" W., 1585.96 feet

6. The existing permitted point of diversion is located within Same as above  
If point of diversion is not changed, do not answer.

7. Proposed place of use All of T.15N., R.20E., M.D.B.&M., E 1/2 of T.15N., R.19E., M.D.B.&M., Sections 2,3,4, E 1/2 5, and that portion of the N 1/2 of the NE 1/4 of Section 6 which lies within Carson City limits T.15N., R.20E., M.D.B.&M., Sections 31, 32, 33, 34, 35, W 1/2 36 and those portions of the E 1/2 of Section 36 which lie within Carson City limits T.16N., R.20E., M.D.B.&M., the S 1/2 of Sections 34, 35, and 36, NE 1/4 36, and those portions of the SW 1/4, NW 1/4 36 and the S 1/2 NE 1/4 35 which lie within the Carson City limits T.16N., R.19E., M.D.B.&M.  
Describe by legal subdivisions. If permit is for irrigation, state number of acres to be irrigated.

8. Existing place of use 69.09 acres total: SW 1/4 SE 1/4 20.8 ac.; SE 1/4 SE 1/4 19.7 ac.; Sec. 12; NE 1/4 NE 1/4 1.3 ac.; Sec. 13, T.15N., R.19E.; SW 1/4 SW 1/4 18.3 ac.; SE 1/4 SW 1/4 5.6 ac.; NW 1/4 NE 1/4 0.05 ac., Sec. 13, T.15N., R.19E.; SW 1/4 SW 1/4 18.3 ac.; SE 1/4 SW 1/4 5.6 ac., Sec. 7, NW 1/4 NW 1/4 2.2 ac., NE 1/4 NW 1/4 1.0 ac., Sec. 18, T.15N., R.20E., M.D.B.&M.  
manner of use of irrigation permit, describe acreage to be removed from irrigation.

9. Use will be from as decreed to Month and Day of each year.

10. Use was permitted from as decreed to Month and Day of each year.

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) pipeline, new diversion box, either water treatment facility or groundwater recharge  
State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes, or drilled well, etc.

12. Estimated cost of works \$100,000 to \$250,000

13. Estimated time required to construct works 3 years

- 14. Estimated time required to complete the application of water to beneficial use..... 5 years
- 15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Number of units to be served is approximately 468 dwelling units.

Plea Please refer to map filed under application #43400

By s/Lawrence A. Werner  
262T Northgate Lane, Suite 59  
Carson City, Nevada 89701

Compared bc/ b1 dcb/br

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the manner and place of use of the waters of Gregory's Canyon Creek (Ash Canyon Creek) as heretofore granted under Permit 25546 is issued subject to the terms and conditions imposed in said Permit 25546 and the Ash-Kings Canyon Decree entered November 14, 1885, Second Judicial District, and with the understanding that no other rights on the source will be affected by the change proposed herein.

Totalizing meters must be installed on the diversion works with annual reports submitted to the Division of Water Resources on actual amounts of diversion.

The works of diversion must impede or restrict the flow of the channel in any manner.

The total duty of water issued under this permit and Permits 30668 and 31644 shall not exceed 16.367% of the flow of Ash Canyon Creek (Gregory's Canyon Creek).

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 16.367% of the flow from Ash Canyon Creek (Gregory's Canyon Creek) under this permit and permits 30668 and 31644.

Work must be prosecuted with reasonable diligence and be completed on or before October 18, 1985

Proof of completion of work shall be filed before November 18, 1985

Application of water to beneficial use shall be made on or before October 18, 1987

Proof of the application of water to beneficial use shall be filed on or before November 18, 1987

Map in support of proof of beneficial use shall be filed on or before November 18, 1987

Completion of work filed DEC 31 1987 IN TESTIMONY WHEREOF, I PETER G. MORROS,

Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of

Cultural map filed..... my office, this 29th day of MARCH,

Certificate No..... Issued..... A.D. 1984

*[Signature]*  
State Engineer

Abrogated By Permit 59087 16.367% cert 11-16-98