

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... AUG 5 1983

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... AUG 8 1983 under 47123

The applicant Manuel and Amy Vega, Dennis B. and Shirley S. Duewel & Royce L. Hackworth  
350 West Fir Street, of Elko,  
Nevada 89801, hereby make application for permission to appropriate the public  
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-  
tion; if a copartnership or association, give names of members.) Co-Partnership, Manuel and Amy Vega,  
Dennis B. and Shirley S. Duewel, Royce L. Hackworth

1. The source of the proposed appropriation is Underground (Well)  
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 1 cfs second-foot  
One second-foot equals 448.83 gals. per min.  
(a) If stored in reservoir give number of acre-feet Less than 1 acre feet

3. The water to be used for Industrial (Gravel Plant)  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:  
(a) Irrigation, state number of acres to be irrigated:  
(b) Stockwater, state number and kinds of animals to be watered:  
(c) Other use (describe fully under "No. 12. Remarks")  
(d) Power:  
(1) Horsepower developed  
(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: SE 1/4 SW 1/4 of Section 3, T 35 N,  
R 57 E, MDB & M., at a point from which the NW corner of said Section 3 bears  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.  
N 27° 30' 46"W 4643.02 feet.

6. Place of use A portion of the S 1/2 NW 1/4, SW 1/4 of Section 3, T 35 N, R 57 E, MDB & M.,  
and the W 1/2 NW 1/4, NW 1/4 SW 1/4 of Section 10, T 35 N, R 57 E, MDB & M.

7. Use will begin about January 1 and end about December 31, of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and  
specifications of your diversion or storage works.) Sump, Pipelines, Small pond for Recirculating  
water to gravel plant.  
State manner in which water is to be diverted, i.e. diversion structure, ditches and  
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$50,000

10. Estimated time required to construct works..... 3 years  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... 5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Small pond for recirculating waters. Having 1 surface acre. Evaporation loss = 48" per year. 1,303,315.20 gallons. Recirculation of 300 gallons a minute, estimated loss = 20% or 60 gallons per minute x 60 minutes x 10 hours per day, 260 days per year = 9,360,000 gallons per year. Total consumptive use = 10,663,315 gallons annually.

By s/Alan S. Boyack  
Alan S. Boyack, Agent  
515 South Fifth Street  
Elko, Nevada 89801

Compared b1/bc gcr/bl

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies. (CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.0 cubic feet per second, but not to exceed 10.7 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before July 10, 1985

Proof of completion of work shall be filed before August 10, 1985

Application of water to beneficial use shall be made on or before July 10, 1988

Proof of the application of water to beneficial use shall be filed on or before August 10, 1988

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed AUG 20 1986 IN TESTIMONY WHEREOF, I PETER G. MORROS

Proof of beneficial use filed SEP 7 1989 State Engineer of Nevada, have hereunto set my hand and the seal of

Cultural map filed..... my office, this 10th day of July

Certificate No. 12668 FEB 25 1991 A.D. 1984

*Peter G. Morros*  
State Engineer

Permit Terms (Continued)

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

The well must be sealed by means of a pressure grout from a depth of 100 feet below ground level to ground level.

The State Engineer must be notified in writing 5 working days prior to the setting of the casing. This notification is in addition to the Notice of Intent to Drill.

This well must be drilled at point located no less than 300 feet due west from the point of diversion as shown on the application but still to remain in the SE $\frac{1}{4}$  SW $\frac{1}{4}$ , Section 3, T.35N., R.57E., M.D.B.&M.