

ASSIGNED

No 47563

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

JAN 18 2011
JUL 27 1998

Date of filing in State Engineer's Office JAN 6 1984 NEW PRIORITY DATE: JUL 28 1993

Returned to applicant for correction FEB 8 1984

Corrected application filed MAR 23 1984

Map filed MAR 23 1984

The applicant Richard H. Guelich, III

P. O. Box 66689, of Scotts Valley,
Street and No. or P.O. Box No. City or Town

Ca. 95066, hereby make S. application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is .02 cfs second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet -----

3. The water to be used for Commercial
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated -----

(b) Stockwater, state number and kinds of animals to be watered -----

(c) Other use (describe fully under "No. 12. Remarks" See No. 12 - Remarks

(d) Power:

(1) Horsepower developed -----

(2) Point of return of water to stream -----

5. The water is to be diverted from its source at the following point Located in the SE 1/4 of SW 1/4, Sec. 35, T15N, R43E, MDB&M, at a point from which the Describe as being within a 40-acre subdivision of public
South 1/4 cor. of Sec. 35, T15N, R43E, bears S 63° 53' 45" E a distance of
1386.14 feet. survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

6. Place of use Portion of SE 1/4 of SW 1/4, Sec. 35, T15N, R43E, MDB&M.
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about Jan. 1st and end about Dec. 31st, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Water will be directed by the use of a drilled well with pump and motor through a piping system.
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$10,000

10. Estimated time required to construct works 1 year to construct all water distribution system
If well completed, describe works.
for commercial purposes.

11. Estimated time required to complete the application of water to beneficial use 1 year

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Water is to be used for commercial purposes, including a service station,
mini-market, restaurant and tavern. The expected daily use on a 24 hour
day, 7 days a week basis is estimated to be 500 gal. per hr.

By Lowell D. Emery, SWRS
s/Lowell D. Emery Agent
P. O. Box 84
Fallon, Nevada 89406

Compared bc/bl ll/bc

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.
(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.02 cubic feet per second, but not to exceed 1.19 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before March 21, 1987

Proof of completion of work shall be filed before April 21, 1987

Application of water to beneficial use shall be made on or before March 21, 1990

Proof of the application of water to beneficial use shall be filed on or before April 21, 1990

Map in support of proof of beneficial use shall be filed on or before _____

Completion of work filed JUN 15 1987 IN TESTIMONY WHEREOF, I PETER G. MORROS

Proof of beneficial use filed 10-06-2000 State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 21ST day of MARCH

Cultural map filed n/a A.D. 19 85

Certificate No. 14625 Issued 1-31-06

[Signature of Peter G. Morros]
State Engineer

218 (Rev.)
~~CANCELLED JUL 12 1993 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT~~

~~CANCELLED AUG - 7 1998 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT~~

[Signature]
STATE ENGINEER
[Signature]

[Signature]
STATE ENGINEER
[Signature]
cancellation rescinded
9-1-98

(PERMIT TERMS CONTINUED)

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal, and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

~~CANCELLED **DEC 23 2010** BECAUSE OF
FAILURE OF APPLICANT TO COMPLY WITH
THE PROVISIONS OF PERMIT Anthony Rogers
port. 1.78
[Signature] P.E. STATE ENGINEER
Cap. Rescinded 8-5-2011~~