№ 47656

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office FEB 6 1984

Returned to applicant for correction FEB 16 1984

Corrected application filed

Map filed MAR 12 1984

The applicant Sal Dimodica

3119 Highview Drive (Street and No. or P.O. Box No.), of Henderson, (City or Town),

Nevada 89105 (State and Zip Code No.), hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

N/A

1. The source of the proposed appropriation is Underground source (Name of stream, lake, spring, underground or other source)

2. The amount of water applied for is 0.012 C.F.S. second-feet (One second-foot equals 448.83 gals. per min.)

   (a) If stored in reservoir give number of acre-feet N/A

3. The water to be used for Quasi-municipal purposes (Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.)

4. If use is for:

   (a) Irrigation, state number of acres to be irrigated N/a

   (b) Stockwater, state number and kinds of animals to be watered N/A

   (c) Other use (describe fully under "No. 12. Remarks" N/A

   (d) Power:

      (1) Horsepower developed N/A

      (2) Point of return of water to stream

5. The water is to be diverted from its source at the following point Within the SE¼ NE¼ of Section 14, (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.) Township 19 South, Range 60 East, M.D.B.M., from which the E¼ cor. of said section bears S 37°07' 59" E a distance of 1610.48 ft.

6. Place of use N½ NW¼ SE¼ NE¼ Section 14, Township 19South, Range 60 East, M.D.B.M. (Describe by legal subdivision. If on unsurveyed land, it should be so stated.)

7. Use will begin about January 1st (Month and Day) and end about December 31st (Month and Day), of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drill 8" steel cased well, install 3 HP submersible pump, 4000 gallon storage tank, pressure tanks and appurtenances. (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.)

9. Estimated cost of works $12,000

10. Estimated time required to construct works: One year
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use: 5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Well to service 8 homes.

By s/Sal Dimodica
Sal Dimodica
3119 Highview Drive, Henderson, Nevada 89015

Compared bc/bl gcr/bl

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.012 cubic feet per second, but not to exceed 2.92 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before July 10, 1986

Proof of completion of work shall be filed before August 10, 1986

Application of water to beneficial use shall be made on or before July 10, 1989

Proof of the application of water to beneficial use shall be filed on or before August 10, 1989

Map in support of proof of beneficial use shall be filed on or before

Completion of work filed SEP 10 1984

Proof of beneficial use filed

Cultural map filed

Certificate No. Issued

CANCELLED SEP 27 1989 218 (Rev.) BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

STATE ENGINEER

IN TESTIMONY WHEREOF, I PETER G. MORROS State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 10th day of July, A.D. 19 84

State Engineer