

AMENDED

Nº 47943

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

MAR 29 1984

Date of filing in State Engineer's Office.....

JUN 8 1984

Returned to applicant for correction.....

JUN 18 1984

Corrected application filed.....

APR 5 1954 under 15601

Map filed.....

The applicant Quail Water Association

Las Vegas

Street and No. or P.O. Box No.

City or Town

Nevada 89119

State and Zip Code No.

hereby make application for permission to appropriate the public

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-

tion; if a copartnership or association, give names of members.) John T. L. & Marlene Howard; Louis

& Delores Delgadillo; M. J. & W. M. Sexey; Nadine Vesely; Jane Ham and Clark Hartwell

1. The source of the proposed appropriation is Underground. Old Kelly F. Naples well, drilled 1954. Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.50 second-feet. One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for Quasi-Municipal purposes. Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks".....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point. Within NW 1/4 of NE 1/4 of Section 2, T22S, R61E, M.D.B.&M., or at a point 1218.20 feet from the North 1/2 Section Corner of said survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. Section 2 (same as NW corner of Govt. Lot 2, Section 2) on a line which bears S37° 42' E.

6. Place of use SE 1/4 of NW 1/4 of NW 1/4 of NE 1/4 of Sec. 2, T22S, R61E (approximately 5 acres) (10 each 1/2 acre lots). Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about January 1 and end about December 31, of each year. Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled well; 10" casing to water basin; submersible pump with capacity to deliver water applied for; 3000 gal. tank; approximately 700' of 2" pipe. State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$10,000.

10. Estimated time required to construct works Six years. Well completed as described in Item #8
If well completed, describe works.
above. Six residences complete; four not yet completed.

11. Estimated time required to complete the application of water to beneficial use Seven to eight years.

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Ten residences (domestic use).

Quail Water Association M. J. Sexey, Manager
By s/M. J. Sexey
2020 Helm Dr.
Las Vegas, NV. 89119

Compared bl/js pr/bc

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal, and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.5 cubic feet per second, but not to exceed 3.65 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before November 2, 1986

Proof of completion of work shall be filed before December 2, 1986

Application of water to beneficial use shall be made on or before November 2, 1989

Proof of the application of water to beneficial use shall be filed on or before December 2, 1989

Map in support of proof of beneficial use shall be filed on or before

Completion of work filed NOV 20 1986 IN TESTIMONY WHEREOF, I, PETER G. MORROS

Proof of beneficial use filed my office, this 2nd day of November

Cultural map filed A.D. 19 84

Certificate No. Issued Apportion 218 (Rev.)
Peter G. Morros
State Engineer

CANCELLED NOV 23 1994 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

Michael J. ... STATE ENGINEER