

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office AUG 08 1984 NEW PRIORITY DATE AUG 19 1987 OCT 11, 1990

Returned to applicant for correction

Corrected application filed

Map filed AUG 09 1987

The applicant Yerington Church of Christ

14 Willhoit Lane, of Yerington Nevada, 89447

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) Art O'Rear

1. The source of the proposed appropriation is Underground

2. The amount of water applied for is 0.01 second-feet

(a) If stored in reservoir give number of acre-feet

3. The water to be used for Quasi-municipal purposes

4. If use is for:

(a) Irrigation, state number of acres to be irrigated:

(b) Stockwater, state number and kinds of animals to be watered:

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: in the NW 1/4 of the NE 1/4 of Section 9 T13N R26E M.D.M., from which point the NW 1/4 corner of said Section 9 bears N 07° 00' 59" W a distance of 1309.81'

6. Place of use 2.409 acres, being a portion of the NW 1/4 of the NE 1/4 and the SW 1/4 of the NE 1/4, all in Section 9 T13N R26E M.D.M.

7. Use will begin about January 1 and end about December 31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Well, pump and piping

9. Estimated cost of works \$4,000.00

10. Estimated time required to construct works..... 3 years
If well completed, describe works.
.....
11. Estimated time required to complete the application of water to beneficial use..... 4 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
.....
Water is to serve a church and rectory. Use if for 24 hours per day for pastor, congregation use and grounds maintenance. Maximum use will not exceed an average of 3,600 gal per day or 1,310,400 gal annually
.....

By s/George H. Denson
P.O. Box 528
Yerington, NV 89447

Compared..... js/ ll js/bc

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.01 cubic feet per second, but not to exceed 1.31 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... April 30, 1987

Proof of completion of work shall be filed before..... May 30, 1987

Application of water to beneficial use shall be made on or before..... April 30, 1989

Proof of the application of water to beneficial use shall be filed on or before..... May 30, 1989

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed..... OCT 22 1987 IN TESTIMONY WHEREOF, I..... PETER G. MORROS.....

Proof of beneficial use filed..... DEC 24 1990 State Engineer of Nevada, have hereunto set my hand and the seal of

Cultural map filed..... my office, this..... 30th..... day of..... April.....

Certificate No. 13035 Issued SEP 24 1991 A.D. 19 85.....

Peter G. Morros
State Engineer

218 (Rev.)
CANCELLED AUG 7 1987 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
Peter G. Morros
STATE ENGINEER

Can. Rescinded 9-23-87

CANCELLED AUG 13 1990 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
Richard J. ...
STATE ENGINEER
Can. Rescinded 11-28-90