

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

JAN 22 1985

Date of filing in State Engineer's Office. _____

Returned to applicant for correction. _____

Corrected application filed. _____ Map filed JAN 22 1985 Under 48744

The applicant. Flagg 1984 Trust

4600 Kietzke Lane, Suite 171-G of Reno
Street and No. or P.O. Box No. City or Town

Nevada 89502 hereby make... application for permission to change the
State and Zip Code No.

Point of Diversion, Place of Use and Manner of Use of a portion
Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Permit 48386
(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

1. The source of water is underground
Name of stream, lake, underground spring or other source.

2. The amount of water to be changed 0.002 cfs 1 acre-foot
Second feet, acre feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for Industrial and Domestic
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

4. The water heretofore permitted for Commercial and Domestic
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

5. The water is to be diverted at the following point within the NE 1/4 NE 1/4, Section 7 T.20N., R.19E.
Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.
MDB&M or at a point from which the east quarter corner of said Section 7 bears
S. 10 45' E. a distance of 1570.0 feet.

6. The existing permitted point of diversion is located within the NW 1/4 SW 1/4, Section 1, T.20N., R.18E.
If point of diversion is not changed, do not answer.
MDB&M or at a point from which the west quarter corner of said Section 1 bears
N. 80 16' W., a distance of 710 feet.

7. Proposed place of use portions of the NE 1/4 NE 1/4 and SE 1/4 NE 1/4 of Section 7, T.20N., R.19E.
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
MDB&M as shown on the supporting map

8. Existing place of use portions of the SW 1/4 NW 1/4, and NW 1/4 SW 1/4, Section 1, T.20N., R.18E.
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.
MDB&M

9. Use will be from 1 January to 31 December of each year.
Month and Day Month and Day

10. Use was permitted from 1 January to 31 December of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) drill well, install pump and distribution
State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes, or drilled well, etc.

12. Estimated cost of works \$20,000

13. Estimated time required to construct works 2 years

14. Estimated time required to complete the application of water to beneficial use..... 3 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

...The water under this application request will be used within an industrial...
...complex for indoor use. The total annual consumption will be one acre-foot,...

By... s/ William E. Nork
William E. Nork
1026 W. First Street
Reno, Nevada 89503

Compared... js/ mc..... pm/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 48386 is issued subject to the terms and conditions imposed in said Permit 48386 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.0014 cubic feet per second, but not to exceed 1.0
acre-feet annually.....

Work must be prosecuted with reasonable diligence and be completed on or before..... January 29, 1990

Proof of completion of work shall be filed before..... February 29, 1990

Application of water to beneficial use shall be made on or before..... January 29, 1993

Proof of the application of water to beneficial use shall be filed on or before..... February 29, 1993

Map in support of proof of beneficial use shall be filed on or before..... N/A

Completion of work filed..... IN TESTIMONY WHEREOF, I..... PETER G. MORROS
State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed..... my office, this..... 29th day of..... January

Cultural map filed.....

Certificate No..... Issued.....

A.D. 19..... 88
[Signature]
State Engineer

Abrogated By 57298 0.0014 CANCELLED MAY 05 1999 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
[Signature] STATE ENGINEER