



SECONDARY

THE STATE OF NEVADA

PERMIT TO APPROPRIATE WATER

Name of applicant: CITY OF ELKO
Source: STORAGE
Basin: ELKO SEGMENT
Manner of Use: IRRIGATION
Period of Use: JANUARY 1ST TO DECEMBER 31ST
Priority Date: 02/14/1985

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This secondary permit is issued subject to the terms and conditions under Permit 48840. The granting of this secondary permit is not intended in any way to waive or affect authority or requirements of water quality control agencies or regulations. This permit is further issued subject to the provisions of NRS 533.440 and the State retains the right to regulate the use of the water herein granted at any and all times. This secondary permit is issued subject to existing rights. A totalizing meter must be installed in the discharge pipeline near the point of diversion and accurate measurements must be kept of effluent diverted to beneficial use. The meter must be installed prior to the filing of the Proof of Completion and before any use of effluent begins.

This secondary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this secondary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Monthly records shall be kept of the amount of water diverted from this source and the records submitted to the State Engineer on an annual basis within 30 days after the end of each calendar year.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 1.0 cubic feet per second or 100.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

April 22 2013

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


April 22 2016

Map in support of proof of beneficial use shall be filed on or before:

April 22 2016

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 22nd day of April, A.D. 2011




State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____



APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office FEB 11 2011

Returned to applicant for correction _____

Corrected application filed _____ Map filed FEB 11 2011

The applicant City of Elko

1751 College Avenue of Elko

Street Address Or P.O. Box City or Town

Nevada, 89801 hereby make(s) application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association give names of members.)

1. The source of water is Elko Sewage Treatment Plant Effluent being stored under Primary Permit No. 48840

Name of stream, lake, underground, spring or other sources

2. The amount of water applied for is 1.00 cfs second feet.

One second foot equals 448.83 gallons per minute.

(a) If stored in reservoir give number of acre-feet _____

3. The water to be used for Irrigation

Irrigation, power, mining, commercial, domestic or other use. Must limit to one major use.

4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated 25.00 acres
 - (b) Stockwater, state number and kind of animals _____
 - (c) Other use (describe fully in No. 12) _____
 - (d) Power:
 - (1) Horsepower developed _____
 - (2) Point of return of water to stream _____

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

SE1/4 NW1/4 of Section 21, T.34 N., R.55 E., M.D.B. & M., at a point from which the
Northeast Corner of said Section 21, bears N 64° 00' 00" E, 3234.00 feet.

6. Place of use (Describe by legal subdivision. If on unsurveyed land, it should be so stated)

Portions of the NE1/4 SE1/4, SE1/4 SE1/4 of Section 10 and portions of the NW1/4 SW1/4 of
Section 11, all in T.34 N., R.55 E., M.D.B. & M.

7. Use will begin about January 1st and end about December 31st of each year.
Month and Day Month and Day

8. Description of proposed works (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.)

Pipelines from existing Sewage Treatment Plant to sprinkler system at municipal sports
fields.

9. Estimated cost of works: \$100,000

10. Estimated time required to construct works: 3 years

If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 5 years

12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary):
(Failure to provide a detailed description may cause a delay in processing.)

Existing reuse pipelines from existing Sewage Treatment Plant to supply water to sprinkler
systems to irrigate approximately 25.00 acres within the proposed place of use.

13. Miscellaneous remarks:

This application is for a Secondary Permit under primary Permit 48840 for irrigation at the
City's municipal sports fields. The water applied for is to be used to irrigate approximately
25.00 acres within the proposed place of use.

remorley@frontiernet.net
E-mail Address

(775) 738-4053
Phone No.

Robert E. Morley
Type or print name clearly

Robert E. Morley
Signature, applicant or agent

High Desert Engineering, LLC
Company Name

640 Idaho Street
Street Address or P.O. Box

Elko, Nevada 89801
City, State, Zip Code

**APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT**

RECEIVED
2011 FEB 11 PM 2:00
STATE ENGINEERING OFFICE