

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office APR 06 2016

Returned to applicant for correction _____

Corrected application filed _____ Map filed APR 06 2016

The applicant City of Elko

1751 College Avenue of Elko
Street Address or P.O. Box City or Town

Nevada, 89801, hereby make(s) application for permission to change the
State and Zip Code

Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree)
Permit 4840S10

RECEIVED
2016 APR -6 AM 11:40
STATE ENGINEERS OFFICE

1. The source of water is Elko Sewage Treatment Plant Effluent being stored under Primary Permit No. 48840
Name of stream, lake, underground, spring or other sources.

2. The amount of water to be changed 1.00 cfs 100.0 acre feet annually
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for Irrigation
Irrigation, power, mining, commercial, etc. If for stock state number and kind of animals. Must limit to one major use.

4. The water heretofore used for Irrigation
If for stock state number and kind of animals.

5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)
SE1/4 NW1/4 of Section 21, T.34 N., R.55 E., M.D.B. & M., at a point from which the Northeast Corner of said Section 21 bears N 64° 00' 00" E, 3234.00 feet.

6. The existing point of diversion is located within (If point of diversion is not changed, do not answer)
Same as Proposed

4-49
21

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

Portions of the NW1/4 of Section 22, T.34 N., R.55 E., M.D.B. & M.

25.00 acres to be irrigated within the proposed place of use.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

Portions of NE1/4 SE1/4, SE1/4 of Section 10 and portions of the NW1/4 SW1/4 of Section 11, all in T.34 N., R.55 E., M.D.B. & M.

25.00 acres to be removed from irrigation.

9. Proposed use will be from January 1st to December 31st of each year.
Month and Day Month and Day

10. Existing use permitted from January 1st to December 31st of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes or drilled well, pump, and motor, etc.)

Pipelines from the existing Sewage Treatment Plant to sprinkler systems at the proposed municipal sports complex

12. Estimated cost of works \$600,000

13. Estimated time required to construct works 3 Years
If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 5 years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing)

This application changes the place of use of Permit 48840S10. The waters under 48840S10 which are treated sewer effluent being stored under Primary Permit 48840 were planned to be utilized for the irrigation of the City's existing municipal sports fields that are currently being irrigated with waters from the City's municipal water system. The City is in the process of constructing a new sports complex at the location identified as the proposed place of use of this application. They have determined that the development of the new complex is of a higher priority than the project previously planned that would have utilized the waters under 48840S10 at their current location. This application will allow the use of the waters being changed for the irrigation of 25 acres at the new sports complex.

16. Miscellaneous remarks:

remorley@frontiernet.net

E-mail Address

(775) 738-4053

Phone No.

Ext

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

Robert E. Morley

Type or print name clearly

Robert E. Morley

Signature, applicant or agent

High Desert Engineering, LLC

Company Name

640 Idaho Street

Street address or P.O. Box

Elko, Nevada 89801

City, State, Zip Code