

No 48930

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAR 21 1985

Returned to applicant for correction

Corrected application filed

Map filed MAR 21 1985

The applicant Sal Di Modica

3119 Highview Drive, of Henderson City or Town

Nevada 89105, hereby make application for permission to appropriate the public State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) N/A

1. The source of the proposed appropriation is Underground source Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.012 C.F.S. second-foot One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet N/A

3. The water to be used for Quasi-municipal purposes Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated N/A

(b) Stockwater, state number and kinds of animals to be watered N/A

(c) Other use (describe fully under "No. 12. Remarks" N/A

(d) Power:

(1) Horsepower developed N/A

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point within the SE 1/4 NW 1/4 of Section 14 Describe as being within a 40-acre subdivision of public Township 19 South, Range 60 East, MDBM from which the center one-quarter (C 1/4) survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. of said section 14 bears S 02°27'52" E a distance of 992.71 ft.

6. Place of use E 1/2 NE 1/4 SE 1/4 NW 1/4 Sec. 14, T19S, R60E, MDBM Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about January 1st and end about December 31st, of each year. Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drill 8 inch steel cased well, install 3H:P. State manner in which water is to be diverted, i.e. diversion structure, ditches and submersible pump, 4000 gallon storage tank, prsesure tanks and appurtenances. flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$12,000

10. Estimated time required to construct works..... One year
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... 5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Well to service 8 homes.

By s/Sal Di Modica
Sal Di Modica
3119 Highview Drive
Las Vegas, Nevada 89105

Compared 11/jf js/bc

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.012 cubic feet per second, but not to exceed 2.83 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before June 28, 1987

Proof of completion of work shall be filed on or before July 28, 1987

Application of water to beneficial use shall be made on or before June 28, 1990

Proof of the application of water to beneficial use shall be filed on or before July 28, 1990

Map in support of proof of beneficial use shall be filed on or before

Completion of work filed AUG 6 1987

IN TESTIMONY WHEREOF, I PETER G. MORROS
State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed

my office, this 28th day of June

Cultural map filed

A.D. 19 85

Certificate No. Issued

Peter G. Morros
State Engineer

WITHDRAWN BY APPLICANT SEP 24 2002 sam
Indicci, P.E. STATE ENGINEER