

AMENDED

No. 49033

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAY 07 1985
Returned to applicant for correction MAY 21 1985
Corrected application filed MAY 30 1985
Map filed MAY 30 1985

The applicant Kingsbury General Improvement District

P.O. Box 2220, of Stateline, Nevada 89449

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is from an underground source.

2. The amount of water applied for is 1 second-foot

(a) If stored in reservoir give number of acre-feet

3. The water to be used for domestic and quasi-municipal

4. If use is for:

(a) Irrigation, state number of acres to be irrigated

(b) Stockwater, state number and kinds of animals to be watered

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point situate in the SE 1/4 of the SW 1/4 of Section 30, T13N, R19E, M.D.B. & M., which bears North 09°10'29" West 1297.23 feet from the S 1/4 Corner of said Section 30.

6. Place of use That portion of the NE 1/4 and the SE 1/4 of Section 19 lying East of the Tahoe Basin Ridge line; the West 1/2 of the West 1/2 of Section 20; the NW 1/4 of the N 1/2 of the SW 1/4 of Section 29; those portions of the NE 1/4, the N 1/2 of the SE 1/4, and the NE 1/4 of the SW 1/4 of Section 30 lying East of the Tahoe Basin Ridge line, all in T13N, R19E, M.D.B. & M.

7. Use will begin about January 1 and end about December 31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) A drilled well with pump and motor and piping to existing tank situate in the NE 1/4 of the SW 1/4 of Section 30.

9. Estimated cost of works \$225,000.00

10. Estimated time required to construct works 1 year  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 1 year

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

To serve up to 1,193 single family dwellings and/or commercial equivalent as allowed under Douglas County zoning and 10% PUD over-ride. Average water use per day not to exceed 596,500 gallons at 500 gallons per unit per day.

By s/Ronald W. Turner  
P.O. Box 5067  
Stateline, NV 89449

Compared mc/jf

Protested \_\_\_\_\_

\_\_\_\_\_  
OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed \_\_\_\_\_ cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before \_\_\_\_\_

Proof of completion of work shall be filed on or before \_\_\_\_\_

Application of water to beneficial use shall be made on or before \_\_\_\_\_

Proof of the application of water to beneficial use shall be filed on or before \_\_\_\_\_

Map in support of proof of beneficial use shall be filed on or before \_\_\_\_\_

Completion of work filed \_\_\_\_\_ IN TESTIMONY WHEREOF, I \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_ State Engineer of Nevada, have hereunto set my hand and the seal of

Cultural map filed \_\_\_\_\_ my office, this \_\_\_\_\_ day of \_\_\_\_\_,

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_ A.D. 19 \_\_\_\_\_

WITHDRAWN BY APPLICANT

OCT 9 1989

STATE ENGINEER