ASSIGNED

Serial No. 49232

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JUL 30 1985

Returned to applicant for correction

Corrected application filed Map filed JUL 30 1985

The applicant Nevada State Public Works Board

1001 N. Mountain St. (Street and No. or P.O. Box No.) of Carson City (City or Town)

Place of Use (State and Zip Code No.) hereby makes application for permission to change the

(Point of diversion, manner of use, and/or place of use)

of water heretofore appropriated under Permit 45103 (Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

1. The source of water is Underground (Name of stream, lake, underground spring or other source.)
2. The amount of water to be changed 0.75 c.f.s. not to exceed 176.917 million gallons annually (Second feet, acre feet. One second foot equals 448.83 gallons per minute.)
3. The water to be used for Quasi-Municipal (Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.)
4. The water heretofore permitted for Quasi-Municipal (Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.)
5. The water is to be diverted at the following point No Change (Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.)
6. The existing permitted point of diversion is located within SW¼ SW¼ Section 3, T.25S., R.59E., (If point of diversion is not changed, do not answer.) M.D.B.&M., or at a point from which the SW corner of said Section 3 bears S. 11° 50' 07" W., a distance of 563.65 feet.
7. Proposed place of use Service area having a radius of one (1) mile from the center of the prison yard which includes (Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.) portions of Sections 11,12,13,14,23 and 24, all in T.25S., R.59E., M.D.B.&M.; and portions of Sections 7, 18 and 19, T.25S., R.60E., M.D.B.&M.; and a separate service area having a radius of one-half (½) mile measured from the point of diversion under 45039 which includes portions of Sections 2,3,10 and 11, T.25S., R.59E., M.D.B.&M.
8. Existing place of use SW¼ NE¼ Section 13, T.25S., R.59E., M.D.B.&M. (Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)
9. Use will be from January 1st (Month and Day) to December 31st (Month and Day) of each year.
10. Use was permitted from January 1st (Month and Day) to December 31st (Month and Day) of each year.
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled well, pump, storage tanks and distribution system. (State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes, or drilled well, etc.)
12. Estimated cost of works $160,000
13. Estimated time required to construct works 1 year

14. Estimated time required to complete the application of water to beneficial use 5 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

See Permit 45103 for consumptive use.

s/Richard E. Baker
By State of Nevada Public Works Board
Richard E. Baker, Secretary Manager
1001 N. Mountain St., Ross Bldg., Suite 3B
Carson City, Nevada 89710

Compared mc/se js/bc

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the place of use of the waters of an underground source as heretofore granted under Permit 45103 is issued subject to the terms and conditions imposed in said Permit 45103 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined duty of water under Permits 49232 and 49233 shall not exceed 176.917 million gallons annually.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.75 cubic feet per second, but not to exceed 176.917 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before June 17, 1986

Proof of completion of work shall be filed before July 17, 1986

Application of water to beneficial use shall be made on or before June 17, 1988

Proof of the application of water to beneficial use shall be filed on or before July 17, 1988

Map in support of proof of beneficial use shall be filed on or before

Completion of work filed AUG 5 1987

Proof of beneficial use filed

Cultural map filed

Certificate No. Issued

IN TESTIMONY WHEREOF, I PETER G. MORROS, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 10th day of January, A.D. 19 86

State Engineer

2407 (Rev. 6-81)

CANCELLED NOV 3 1988 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

STATE ENGINEER