

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office OCT 23 1985

Returned to applicant for correction _____

Corrected application filed _____

Map filed OCT 23 1985

The applicant Ken Templeton

2601 West Charleston Blvd., of Las Vegas,
Street and No. or P.O. Box No. City or Town

Nevada 89102, hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

N/A

1. The source of the proposed appropriation is Underground Source
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.006 C.F.S. second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet N/A

3. The water to be used for Quasi-Municipal purposes
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated N/A

(b) Stockwater, state number and kinds of animals to be watered N/A

(c) Other use (describe fully under "No. 12, Remarks") N/A

(d) Power:

(1) Horsepower developed N/A

(2) Point of return of water to stream N/A

5. The water is to be diverted from its source at the following point within the NE 1/4 SW 1/4 Sec. 35,
Describe as being within a 40-acre subdivision of public
T21S, R60E, M.D.B.M. from which the Center one-quarter of said
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
section 35 bears North 52°01'28" East a distance of 1033.8 ft.

6. Place of use SE 1/4 NW 1/4 NE 1/4 SW 1/4 Sec. 35, T21S, R60E, M.D.B.M.
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about January 1st and end about December 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drill 8 inch steel cased well, install
State manner in which water is to be diverted, i.e. diversion structure, ditches and

5 HP submersible pump, storage tank, pressure tanks and appurtenances.
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$20,000

- 10. Estimated time required to construct works one-year
If well completed, describe works.
- 11. Estimated time required to complete the application of water to beneficial use 5 years
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
Well to serve 4 homes

By s/ Ken Templeton
Ken Templeton
 Compared jm/se js/bc agent add- 940 S. highland
Las Vegas, Nevada 89106
 Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.006 cubic feet per second, but not to exceed 1.415 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before March 24, 1988

Proof of completion of work shall be filed before April 24, 1988

Application of water to beneficial use shall be made on or before March 24, 1991

Proof of the application of water to beneficial use shall be filed on or before April 24, 1991

Map in support of proof of beneficial use shall be filed on or before _____

Completion of work filed _____
 Proof of beneficial use filed _____
 Cultural map filed _____
 Certificate No. _____ Issued _____

IN TESTIMONY WHEREOF, I PETER G. MORROS
 State Engineer of Nevada, have hereunto set my hand and the seal of
 my office, this 24th day of March

A.D. 19 86

 State Engineer

CANCELLED JUN 11 1991 BECAUSE OF FAILURE
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

 STATE ENGINEER