№ 49729

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office FEB 25 1986

Returned to applicant for correction

Corrected application filed

Map filed

The applicant Louis J. Complita & Gerald G. Complita

P.O. Box 188 (Street and No. or P.O. Box No.), of Elko, Nevada 89801 (City or Town),

(State and Zip Code No.), hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

Private Individuals

1. The source of the proposed appropriation is UNDERGROUND SOURCE (Name of stream, lake, spring, underground or other source)

2. The amount of water applied for is ONE SECOND FOOT second-feet (One second-foot equals 448.83 gals. per min.)

   (a) If stored in reservoir give number of acre-feet 1 acre foot reservoir

3. The water to be used for INDUSTRIAL & DOMESTIC (Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.)

4. If use is for:

   (a) Irrigation, state number of acres to be irrigated NO

   (b) Stockwater, state number and kinds of animals to be watered NO

   (c) Other use (describe fully under "No. 12. Remarks" Water to serve tenants

   (d) Power:

      (1) Horsepower developed No

      (2) Point of return of water to stream None

5. The water is to be diverted from its source at the following point N.E. 1/4 SECTION 14, T. 33 N., R. 56 E., M.D.B. & M. (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.)

6. Place of use Portion of N.E. 1/4 Section 14, T. 33 N., R. 56 E., M.D.B. & M. (Describe by legal subdivision. If on unsurveyed land, it should be so stated.)

7. Use will begin about January 1st (Month and Day) and end about December 31st (Month and Day), of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 8" Cased Well w/ 3 ø 20 h.p. Submersible Pump (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.)

9. Estimated cost of works $5,500

10. Estimated time required to construct works: 30 DaYs for Well & Pump; 60 Days for Reservoir Installation
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use: One Year

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

24 Individual Lots,

Estimated Annual Consumptive Use --

After all lots have building improvement....

100 Gal./day x 24 lots x 365 days = 876,000 U.S. Gals. Maximum.

Gerald G. Complita
By s/Gerald G. Complita
P.O. Box 188
Elko, Nevada 89801

Compared bl/bc

Protested

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed ..... cubic feet per second

Work must be prosecuted with reasonable diligence and be completed on or before

Proof of completion of work shall be filed on or before

Application of water to beneficial use shall be made on or before

Proof of the application of water to beneficial use shall be filed on or before

Map in support of proof of beneficial use shall be filed on or before

Completion of work filed

Proof of beneficial use filed

Cultural map filed

Certificate No. ..... Issued

IN TESTIMONY WHEREOF, I ..... State Engineer of Nevada, have hereunto set my hand and the seal of my office, this ..... day of ....., A.D. 19.....

State Engineer

218 (Rev.)

CANCELLED APR 11 1986 BECAUSE OF FAILURE OF APPLICANT TO SUBMIT STATUTORY FEES.

Peter G. Morros
STATE ENGINEER

See Ruling # 3338