

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office... MAR 24 1986
Returned to applicant for correction... APR 10 1986
Corrected application filed... APR 16 1986
Map filed... APR 16 1986

The applicant Clark J. Guild, Jr.
102 Roff Way, of Reno, Nevada 89501
Street and No. or P.O. Box No. City or Town
State and Zip Code No.
hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is underground
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.5 second-foot
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet

3. The water to be used for Mining
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated:

(b) Stockwater, state number and kinds of animals to be watered:

(c) Other use (describe fully under "No. 12. Remarks" Mining Operation-See No. 12

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream SW 1/4 SE 1/4, Sec. 18 T14N, R25E, M.D.M.

5. The water is to be diverted from its source at the following point: or at a Point from which the SW corner of said Sec 18 bears S 69°17'58" W a distance of 2746.28 feet. (Basis of survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. bearing is based upon an original survey per B.L.M.-Magnetic North 16°35')

6. Place of use SW 1/4 SW 1/4, Sec. 18, NW 1/4 NW 1/4, Sec. 19, T14N, R25E, M.D.M. S 1/2 SE 1/4, Sec. 13, N 1/2 NE 1/4, SW 1/4 NE 1/4, SE 1/4 NW 1/4, NW 1/4 SE 1/4 and N 1/2 SW 1/4, Sec. 24, SE 1/4, Sec. 23, NE 1/4, NE 1/4 NW 1/4, N 1/2 SE 1/4 NE 1/4 SW 1/4, Sec 26, T14N, R24E, M.D.M.

7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Submersible pump with below ground discharge- Pedestal mount electrical service entrance.
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$15,000.00

- 10. Estimated time required to construct works... One (1) month (well exists)
If well completed, describe works.
works as in Item 8 with three (3) miles of 6" water line.
- 11. Estimated time required to complete the application of water to beneficial use... One (1) year.
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Application is for a mining operation on the Judge & Nugget Claims located in Item 6 above. Operation shall be a 20 hr/day, 260 day/year plant for 5,000 tn/day. Plant requires 30 gal/tn as follows: wash Trommel-150 gpm, Shaker screen -50gpm, Reichert Spirals-35 gpm, dust & dullinary-15gpm. Minimum daily volume 150,000 gallons with 50% recycle through earthen settlement ponds. Annual consumptive use 19.5 MG(60 AC-FT)

Roger G. Biale, P.E.
 By s/ Roger G. Biale
 2305 Glendale Avenue, Suite 10
 Sparks, Nevada 89431

Compared dn /le js/se

Protested.....

=====

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.5 cubic feet per second, but not to exceed 19.5 million gallons annually.

- Work must be prosecuted with reasonable diligence and be completed on or before October 24, 1988
- Proof of completion of work shall be filed before November 24, 1988
- Application of water to beneficial use shall be made on or before October 24, 1990
- Proof of the application of water to beneficial use shall be filed on or before November 24, 1990
- Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed..... IN TESTIMONY WHEREOF, I PETER G. MORROS
 State Engineer of Nevada, have hereunto set my hand and the seal of
 Proof of beneficial use filed..... my office, this 24th day of October
 Cultural map filed.....
 Certificate No..... Issued.....
 A.D. 19 86

Peter G. Morros
 State Engineer

Page 2

(PERMIT TERMS CONTINUED)

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.