

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

APR 10 1986

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... AUG 21 1978 under 35791

The applicant..... Phillip B. & Lois J. McVey, 7707 W. Wigwam Ave. and Richard A. & Virginia J. Rishel, 7711 W. Wigwam Ave.

..... of Las Vegas, Nevada 89113

Street and No. or P.O. Box No. City or Town State and Zip Code No. hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is..... Underground Name of stream, lake, spring, underground or other source

2. The amount of water applied for is..... .05 cfs (D.C.) per letter 10/19/78 second-foot One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for..... quasi-municipal purposes Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point..... N.E. 1/4 N.W. 1/4 N.W. 1/4 S.W. 1/4, Sec. 15, Township 22 S., R. 60 E., M.D.M., Nev., said point bears S. 64°34'46"E., a distance of 562.29 ft. from the N.W. corner of the S.W. 1/4 of said Sec. 15

6. Place of use is the N.E. 1/4 N.W. 1/4 N.W. 1/4 S.W. 1/4, Sec. 15, Township 22 S., R. 60 E., M.D.M., Nev.

7. Use will begin about January 1 and end about December 31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) An 8 inch diameter well, cased in 8 inch steel pipe for 630 ft. and equipped with a 5 hp. electric submersible pump.

9. Estimated cost of works..... \$11,000.00

- 10. Estimated time required to construct works..... 2 months
If well completed, describe works.
- 11. Estimated time required to complete the application of water to beneficial use..... 2 months

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The works described under item 8 have been installed and the map was filed under serial no. 35791.

By..... s/ Phillip B. McVey
 7707 West Wigwam Avenue
 Las Vegas NV 89113

Compared..... dn/js..... js/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.05..... cubic feet per second, but not to exceed 0.73..... million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... July 28, 1988

Proof of completion of work shall be filed on or before..... August 28, 1988

Application of water to beneficial use shall be made on or before..... July 28, 1991

Proof of the application of water to beneficial use shall be filed on or before..... August 28, 1991

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed..... SEP 20 1988


Proof of beneficial use filed.....

Cultural map filed.....

Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I, PETER G. MORROS, State Engineer of Nevada, have hereunto set my hand and the seal of

my office, this 28th day of July

A.D. 19.86.....

 State Engineer