

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

APR 25 1986

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... FEB 10 1984 under 47680

The applicant..... Sam Jaksick, Jr.

P.O. Box 860 of Reno City or Town

Nevada 89504, hereby make S application for permission to appropriate the public

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is..... Underground

2. The amount of water applied for is..... 1.0 cfs second-foot

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for..... Quasi-municipal and domestic

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point..... SW 1/4 NW 1/4 Sec. 25, T.18N., R.19.E.

MDM or at a point from which the SW corner of said Sec. 25 bears S.

10° 10' W., a distance of 3890 feet

6. Place of use..... N 1/2, N 1/2 S 1/2, S 1/2 SE 1/4 Sec. 25, T.18N., R.19E., MDM

7. Use will begin about..... Jan 1 and end about..... Dec. 31

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... Drilled well, pump, motor and

water distribution system

9. Estimated cost of works..... \$10,000

- 10. Estimated time required to construct works 5 yrs
If well completed, describe works.
- 11. Estimated time required to complete the application of water to beneficial use 10 yrs.

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Use map filed under Permit 47680
 Right to be supplementary to Permit 47680
 Total right not to exceed 524.9 ac-ft/yr
 See Permit 47680 for use breakdown.

By s/ David M. Boyer
3100 Mill St.
Reno, Nev. 89502

Compared dn/js js/se

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 47680, 47681 and 49851 shall not exceed 171.04 million gallons annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use. The issuance of this permit does not constitute an additional appropriation of water but is consistent with the State Engineer's policy of a back-up source to a primary source for municipal and quasi-municipal uses.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and

not to exceed 1.0 cubic feet per second, but not to exceed 171.04 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before December 14, 1986

Proof of completion of work shall be filed on or before January 14, 1987

Application of water to beneficial use shall be made on or before December 14, 1989


Proof of the application of water to beneficial use shall be filed on or before January 14, 1990

Map in support of proof of beneficial use shall be filed on or before January 14, 1990

Completion of work filed _____ IN TESTIMONY WHEREOF, I, PETER G. MORROS
 State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed _____ my office, this 26th day of August,

Cultural map filed _____ A.D. 1986

Certificate No. _____ Issued _____

 State Engineer