

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office.....MAY 23 1986.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed.....MAY 23 1986 under 49889.....

The applicant.....Terry R. Helms.....
P.O. Box 18485....., of.....South Lake Tahoe.....
Street and No. or P.O. Box No. City or Town
California 95706....., hereby make S. application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.).....

1. The source of the proposed appropriation is.....an underground source in the Las Vegas Basin.....
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is.....1.0.....second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for.....Quasi-Municipal and Domestic Purposes.....
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point.....within the SW 1/4 NW 1/4 of
Describe as being within a 40-acre subdivision of public
Section 24, Township 19 South, Range 60 East, M.D.B.M. at a point that bears
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
North 33° 49' East a distance of 283.0' from the West 1/4 corner of said Section 24.

6. Place of use.....within the SW 1/4 NW 1/4 of Section 24, Township 19 South, Range 60
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
East, M.D.B. & M.

7. Use will begin about.....January 1.....and end about.....December 31....., of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.).....Well, casing, pump, pressure tank,
State manner in which water is to be diverted, i.e. diversion structure, ditches and
and distribution pipeline.....
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works.....\$25,000.....

10. Estimated time required to construct works 4 years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Well is to service, and provide a back-up source,
for domestic use within a subdivision of about 35 lots

By s/ Stephen F. Turner
Stephen F. Turner
2325 W. Charleston Blvd.
Las Vegas, Nevada 89012

Compared js/ ti pm/se

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 49889 and 49890 shall not exceed (CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.5 cubic feet per second, but not to exceed 4.38 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before May 15, 1989.

Proof of completion of work shall be filed on or before June 15, 1989.

Application of water to beneficial use shall be made on or before May 15, 1992.

Proof of the application of water to beneficial use shall be filed on or before June 15, 1992.

Map in support of proof of beneficial use shall be filed on or before _____

Completion of work filed _____ IN TESTIMONY WHEREOF, I, PETER G. MORROS
State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed _____ my office, this 15th day of May,

Cultural map filed _____ A.D. 19 87

Certificate No. _____ Issued _____
Peter G. Morros
State Engineer

218 (Rev.) **SEP 25 1991** BECAUSE OF FAILURE
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
Michael J. Campbell P.E. STATE ENGINEER

(PERMIT TERMS CONTINUED)

4.38 million gallons annually.

This Permit and Permit 49889 is limited to serving twelve single family residences.