

Second **AMENDED**
APPLICATION FOR PERMIT

50112

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office AUG 21 1986
Returned to applicant for correction OCT 7 1986
Corrected application filed NOV 6 1986
Map filed NOV 6 1986

The applicant CECIL HARDIN aka C.W. HARDIN
5161 Hickam Avenue, of Las Vegas,
Street and No. or P.O. Box No. City or Town
Nevada 89108, hereby make application for permission to appropriate the public
State and Zip Code No. waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground
Name of stream, lake, spring, underground or other source
2. The amount of water applied for is .05 C.F.S. second-feet
One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet
3. The water to be used for Quasi-Municipal purposes
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
(a) Irrigation, state number of acres to be irrigated
(b) Stockwater, state number and kinds of animals to be watered
(c) Other use (describe fully under "No. 12. Remarks")
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream
5. The water is to be diverted from its source at the following point SE¹/₄ NW¹/₄ SE¹/₄ of Section 1
Describe as being within a 40-acre subdivision of public
Township 20 South, Range 60 East, M.D.M., Nevada, said point bears South 33
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
49'10" East, a distance of 1493.87 feet from the center of said Section 1
6. Place of use SE¹/₄ NW¹/₄ SE¹/₄ of Section 1, Township 20 South, Range 60 East, M.D.M.,
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
Nevada.
7. Use will begin about January 1, and end about December 31, of each year.
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) an 8 inch steel encased well to a depth of
State manner in which water is to be diverted, i.e. diversion structure, ditches and
300 feet with 3 HP submersible pump.
flumes, drilled well with pump and motor, etc.
9. Estimated cost of works \$3,000.00

10. Estimated time required to construct works.....one year.
If well completed, describe works.
.....
11. Estimated time required to complete the application of water to beneficial use.....three years.

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The works described under Item 8 have been installed and are serving one existing home and will eventually serve a total of two homes.

By s/CWHardin s/Cecil Hardin
C.W. HARDIN aka CECIL HARDIN
5161 Hickman Avenue
Las Vegas, NV 89108

Compared pm/se pm/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.05 cubic feet per second, but not to exceed 0.73 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before December 14, 1989

Proof of completion of work shall be filed before January 14, 1990

Application of water to beneficial use shall be made on or before December 14, 1992

Proof of the application of water to beneficial use shall be filed on or before January 14, 1993

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed..... IN TESTIMONY WHEREOF, I PETER G. MORROS

Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 14th day of December

Cultural map filed.....

Certificate No. Issued.....

A.D. 19 87
Peter G. Morros
State Engineer

218 (Rev.)
WITHDRAWN BY APPLICANT *permitted* JAN 31 1990
Peter G. Morros
STATE ENGINEER