

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office. ~~OCT 14 1986~~ NEW PRIORITY DATE: SEPT 11 1992

Returned to applicant for correction. NOV 17 1986

Corrected application filed. DEC 26 1986

Map filed. DEC 26 1986

The applicant. David W. Grizzle, Katrina T. Grizzle & Carroll J. Tullis

3640 Thom Blvd., of Las Vegas

Street and No. or P.O. Box No. City or Town

Nevada 89130

State and Zip Code No.

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.25 second-foot One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet

3. The water to be used for quasi-municipal Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated

(b) Stockwater, state number and kinds of animals to be watered

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point. the SW 1/4 of the SW 1/4 of Section 4, T.20S., R.60E., M.D.B.&M. or being on a bearing of S 16° 35' 12" W a distance of 720.00 feet to the SW Section corner of Section 4, T.20S., R.60E., M.D.B.&M.

6. Place of use. SW 1/4 of the NW 1/4 of the SW 1/4 of the SW 1/4 of Section 4, T.20S., R.60E., M.D.B.&M.

7. Use will begin about Jan. 1st and end about Dec. 31st, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled well with a pump distribution system.

flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$13,000.00

10. Estimated time required to construct works 2 years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

To serve 4 homes on 1/2 acre lots each.

s/Carroll J. Tullis &
By s/Katrina T. Grizzle (power of attorney for
Carroll J. Tullis)

Compared jkk/se bc/bl

s/David W. Grizzle
3640 Thom Blvd.

Protested Las Vegas, NV 89130

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.25 cubic feet per second, but not to exceed 1.46 million gallons annually

Work must be prosecuted with reasonable diligence and be completed on or before MARCH 13, 1989

Proof of completion of work shall be filed before APRIL 13, 1989

Application of water to beneficial use shall be made on or before MARCH 13, 1992

Proof of the application of water to beneficial use shall be filed on or before APRIL 13, 1992

Map in support of proof of beneficial use shall be filed on or before _____

Completion of work filed MAY 09 1989

IN TESTIMONY WHEREOF, I PETER G. MORROS
State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed _____

my office, this 13th day of MARCH

Cultural map filed _____

A.D. 19 87

Certificate No. _____ Issued _____

[Signature]
State Engineer

218 (Rev.)

JUL 14 1992

BECAUSE OF FAILURE

CANCELLED OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

[Signature] STATE ENGINEER

Can. Rescinded 5-20-93