

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office **APR 1 1987**

Returned to applicant for correction

Corrected application filed \_\_\_\_\_ Map filed **JUL 14 1987** Existing POD & POU under 23009The applicant Westpac Utilities, a Division of Sierra Pacific Power Company

P. O. Box 10100 of Reno

Street and No. or P.O. Box No.

City or Town

Nevada 89520

State and Zip Code No.

hereby make application for permission to change the

point of diversion, manner of use, and place of use

Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Permit 23009, Certificate 7376

(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and

(MGM Well)

Identify right (in Decree):

1. The source of water is underground  
Name of stream, lake, underground spring or other source.
2. The amount of water to be changed 2.460 CFS - not to exceed 187.9 AF/yr  
Second feet, acre feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for municipal use  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
4. The water heretofore permitted for industrial use  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
5. The water is to be diverted at the following point NW ¼ SE ¼, Section 6, T.18N., R.20E.,  
Describe as being within a 40-acre subdivision of public survey and by course and  
M.D.B. & M. or at a point from which the S ¼ corner of said Section 6 bears S 08°  
distance to a section corner. If on unsurveyed land, it should be stated.  
58' 29" W, a distance of 2264.66 feet
6. The existing permitted point of diversion is located within Lot 9, Section 7, T. 19N., R. 20E.,  
If point of diversion is not changed, do not answer.  
M.D.B. & M. or at a point from which the S ¼ corner of said Section 7 bears S 08°  
43' 28" W, a distance of 1420.11 feet
7. Proposed place of use water will be used within the Sierra Pacific Power Company  
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.  
water service area. A map of the service area, as approved by the Public Service  
Commission of NV, is on file at the office of the State Engineer.
8. Existing place of use Lots 7, 8 and 9 and the E ½ of the SW ¼ Section 7; NE ¼ NW ¼ and  
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or  
N ½ NE ¼, Section 18, all in T.19N., R.20E., M.D.B. & M.  
manner of use of irrigation permit, describe acreage to be removed from irrigation.
9. Use will be from January 1 to December 31 of each year.  
Month and Day Month and Day
10. Use was permitted from January 1 to December 31 of each year.  
Month and Day Month and Day
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) drill, case, develop & test well. Equip  
State manner in which water is to be diverted, i.e. diversion structure, ditches,  
well with pump & motor. Construct pump house and related facilities & connect to  
pipes and flumes, or drilled well, etc. S.P.P.Co. water system.
12. Estimated cost of works \$150,000.00
13. Estimated time required to construct works 2 years

14. Estimated time required to complete the application of water to beneficial use..... 3 years.

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

s/ Richard D. Moser  
By... Richard D. Moser  
P. O. Box 10100  
Reno, Nevada 89520

Compared..... pm/ CC

Protested..... 09-17-87 By Pyramid Lake Paiute Tribe of Indians

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed..... cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed..... IN TESTIMONY WHEREOF, I.....

Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of

Cultural map filed..... my office, this..... day of.....

Certificate No..... Issued..... A.D. 19.....

State Engineer

2407 (Rev. 6-81)

WITHDRAWN BY APPLICANT JUL 27 1989

*[Signature]*  
STATE ENGINEER