

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAY 7 1987

Returned to applicant for correction

Corrected application filed

Map filed MAY 7 1987

The applicant United States Navy, Fallon Naval Air Station Public Works Department, of Fallon NV 89406

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground

2. The amount of water applied for is 0.03 second-feet

(a) If stored in reservoir give number of acre-feet

3. The water to be used for Quasi-Municipal

4. If use is for:

(a) Irrigation, state number of acres to be irrigated

(b) Stockwater, state number and kinds of animals to be watered

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point within the SE 1/4 NE 1/4 of Section 24, T17N, R33E, MDM or at a point from which the Northeast corner of said Section 24 bears N 31° 52' 48" E a distance of 2157 feet.

6. Place of use SW 1/4 NE 1/4, SE 1/4 NE 1/4, NW 1/4 SE 1/4 NE 1/4 SE 1/4 Section 24, T17N, R33E, MDM

7. Use will begin about January 1st and end about December 31st, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Existing drilled well fitted with new screen and submersible pump, storage tank and pump house.

9. Estimated cost of works \$332,000

10. Estimated time required to construct works..... Two Years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... Three Years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The proposed system to serve a site resident population of eight persons, a day-worker population of 117 persons, an industrial vehicle wash rack, incidental industrial, evaporative cooling, and fire protection for 30,000 square feet of permanent-class buildings and related minor landscaping within the Centroid Complex.

By s/J. T. Regan
J. T. REGAN Agent
NAVAL AIR STATION
FALLON, NV 89406

Compared bc/bl pm/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.03 cubic feet per second, but not to exceed 7.077 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before October 7, 1989

Proof of completion of work shall be filed on or before November 7, 1989

Application of water to beneficial use shall be made on or before October 7, 1992

Proof of the application of water to beneficial use shall be filed on or before November 7, 1992

Map in support of proof of beneficial use shall be filed on or before November 7, 1992

Completion of work filed JAN 24 1990 IN TESTIMONY WHEREOF, I PETER G. MORROS

Proof of beneficial use filed NOV 12 1993 State Engineer of Nevada, have hereunto set my hand and the seal of my

Cultural map filed WAIVED office, this 7th day of October

Certificate No. 13913 Issued AUG 3 1994 A.D. 1987

[Handwritten Signature]
State Engineer