

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office SEP 18 1987

Returned to applicant for correction

Corrected application filed

Map filed

The applicant City of Elko

1751 College Avenue of Elko Street and No. or P.O. Box No. City or Town

Nevada 89801 hereby make S application for permission to appropriate the public State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Effluent being stored under Primary Name of stream, lake, spring, underground or other source

Application No. 48840

2. The amount of water applied for is 1.25 cfs second-feet One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet

3. The water to be used for Irrigation Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated 73 acres - SEE REMARKS

(b) Stockwater, state number and kinds of animals to be watered

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point SE 1/4 NW 1/4 Section 21, T 34 N, R 55 E, Describe as being within a 40-acre subdivision of public

MDM, at a point from which the NE corner of said Section 21 bears N 64° 00' survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

E 3,234 feet

6. Place of use Portions of NE 1/4 & SW 1/4 SE 1/4, Section 32, T 34 N, R 55 E, MDM & Portions Describe by legal subdivision. If on unsurveyed land, it should be so stated.

of Lots 6,7, and 8, Section 5, T 33 N, R 55 E, MDM

7. Use will begin about January 1 and end about December 31 of each year. Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) existing pipeline constructed from the sewage State manner in which water is to be diverted, i.e. diversion structure, ditches and treatment plant to the City's land application site will transport effluent for flumes, drilled well with pump and motor, etc. irrigation

9. Estimated cost of works \$300,000.00

10. Estimated time required to construct works existing facilities
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use two years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Please send copies of all correspondence and notices to undersigned agent.

The annual consumption is expected to be 3.7 to 4.0 ac.ft./acre

By s/William A. Nisbet
W.A. Nisbet Agent
421 Court
Elko, Nevada 89801

Compared bc/jk

Protested _____

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed _____ cubic feet per second _____

Work must be prosecuted with reasonable diligence and be completed on or before _____

Proof of completion of work shall be filed on or before _____

Application of water to beneficial use shall be made on or before _____

Proof of the application of water to beneficial use shall be filed on or before _____

Map in support of proof of beneficial use shall be filed on or before _____

Completion of work filed _____ IN TESTIMONY WHEREOF, I _____

Proof of beneficial use filed _____ State Engineer of Nevada, have hereunto set my hand and the seal of my

Cultural map filed _____ office, this _____ day of _____,

Certificate No. _____ Issued _____ A.D. 19 _____

State Engineer

WITHDRAWN BY Agent SEP 28 1987
Peter J. Morro
STATE ENGINEER