

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAR 01 1988 NEW PRIORITY DATE: APR 28 1995

Returned to applicant for correction.....

Corrected application filed.....

Map filed MAR 01 1988 under 51879.....

The applicant DESERT ENTTERPRISES.....

P.O. Box 864, of Beatty,  
Street and No. or P.O. Box No. City or Town

NV 89003, hereby make S application for permission to appropriate the public  
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) NEVADA CORPORATION Feb 3, 1988.

1. The source of the proposed appropriation is Underground Source  
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 1 cfs second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for quasi-municipal  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point in the SE1/4 of the NE 1/4 of  
Describe as being within a 40-acre subdivision of public  
Section 19, T 12 S, R 47 E MDM or at a point from which the East 1/4 Corner of  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.  
said Section 19 bears S 9° 42' 31" E a distance of 993.1 feet.

6. Place of use in the S1/2 of the NE1/4, the N1/2 of the N1/2 of the SE1/4, the NE1/4  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.  
of the SW1/4, the SE1/4 of the NW1/4 of Section 25, T 12 S, R 46 E, MDM; the NE1/4  
of the NW1/4, the S1/2 of the NW1/4 of Section 30, T 12 S, R 47 E, MDM; the SE1/4  
of the NE1/4, the NE1/4 of the SE1/4 of Section 19, T 12 S, R 47 E, MDM: the W1/2  
of the NW1/4 of Section 20, T 12 S, R 47 E, MDM.

7. Use will begin about January 1st and end about December 31st, of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Existing wells will be used with electric  
State manner in which water is to be diverted, i.e. diversion structure, ditches and  
pumps, storage tanks and distribution water lines.  
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works. \$250,000.00

10. Estimated time required to construct works Wells are completed with steel casing and concrete seal. The system will require three (3) years for completion.  
If well completed, describe works.  
11. Estimated time required to complete the application of water to beneficial use five (5) years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.  
A residential development is planned with 550 residential units requiring 100 million gallons annually. Two wells will be used to obtain this quantity.

By s/ Kenneth L. Haskew  
Kenneth L. Haskew, Agent  
Box 786, Goldfield, NV 89013

Compared bk/bc pm/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  
(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.0 cubic feet per second, but not to exceed 140.7 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before December 30, 1990  
Proof of completion of work shall be filed on or before January 30, 1991  
Application of water to beneficial use shall be made on or before December 30, 1993  
Proof of the application of water to beneficial use shall be filed on or before January 30, 1994  
Map in support of proof of beneficial use shall be filed on or before January 30, 1994

**FEB 25 1992**

Completion of work filed..... IN TESTIMONY WHEREOF, I PETER G. MORROS  
State Engineer of Nevada, have hereunto set my hand and the seal of my  
Proof of beneficial use filed..... office, this 30th day of December  
Cultural map filed..... A.D. 19 88  
Certificate No..... Issued.....  
Peter G. Morros  
State Engineer

CANCELLED MAR 31 1995 BECAUSE OF FAILURE

OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT  
Michael J. [Signature] P.E.  
STATE ENGINEER

Abrogated By 6/1/91 1.0

Case. Rescinded 4-27-95

## (PERMIT TERMS CONTINUED)

The total combined duty of water under Permits 51879 and 51880 shall not exceed 140.7 million gallons annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

The place of use is limited to 291 units for a mobile home park within the S $\frac{1}{2}$  NE $\frac{1}{4}$  and the N $\frac{1}{2}$  N $\frac{1}{2}$  SE $\frac{1}{4}$  Section 25 T. 12 S., R. 46 E., M.D.B. & M. and 240 units for single-family dwellings within the SW $\frac{1}{4}$  NW $\frac{1}{4}$ , SE $\frac{1}{4}$  NW $\frac{1}{4}$  and NE $\frac{1}{4}$  NW $\frac{1}{4}$  Section 30, T. 12 S., R. 47 E., M.D.B. & M.