

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

MAY 24 1988

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

MAY 24 1988

Map filed.....

The applicant, State of Nevada, Department of Conservation, Division of State Parks, 201 S. Fall Street, of Carson City, Nevada 89710, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

(If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground well. Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 50 gpm. (.111cfs) not to exceed 9.21 acre-feet/year. One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet

3. The water to be used for recreational and domestic. Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for: (a) Irrigation, state number of acres to be irrigated (b) Stockwater, state number and kinds of animals to be watered (c) Other use (describe fully under "No. 12. Remarks") (d) Power: (1) Horsepower developed (2) Point of return of water to stream

5. The water is to be diverted from its source at the following point N. 17°16'47" E. 1167.13 feet of the SW corner of the SE 1/4 of Section 4, and within the SW 1/4 of the SE 1/4 of said Section 4, T. 19 S., R. 60 E., M.D.B. & M.

6. Place of use The S 1/2 of Section 4; the S 1/2 of the SW 1/4 of Section 3; the NW 1/4 of the SW 1/4, the NE 1/4 of the SW 1/4, the NW 1/4 of the SE 1/4, the SW 1/4 of the NW 1/4, the SE 1/4 of the NW 1/4, the SW 1/4 of the NE 1/4, the NW 1/4 of the NE 1/4, and part of the NE 1/4 of the NW 1/4, all within Section 9; all within T. 19 S., R. 60 E., M.D.B. & M.

7. Use will begin about January 1 and end about December 31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Well pumps to pressurized bladder tank, then directly into building.

9. Estimated cost of works \$8,000.00

10. Estimated time required to construct works...338 foot deep well, 8" casing, completed.....
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... five years.....

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

..... Water is pumped from the well into the bladder tank for domestic use in the gun club. Also used for watering of trees and lawns.

By s./Joe Cypher
201 South Fall Street
Carson City, NV 89710

Compared..... jjk/jm..... cl/bk

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 17855 and 52126 shall not exceed 3.0 million gallons annually. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.111 cubic feet per second, but not to exceed 3.0 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... N/A

Proof of completion of work shall be filed on or before..... N/A

Application of water to beneficial use shall be made on or before..... March 10, 2002

Proof of the application of water to beneficial use shall be filed on or before..... April 10, 2002

Map in support of proof of beneficial use shall be filed on or before..... N/A

Completion of work filed..... IN TESTIMONY WHEREOF, R. MICHAEL TURNIPSEED, P.E.

Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of my

Cultural map filed..... office, this 10th day of March

Certificate No..... Issued..... A.D. 19 1997

R. Michael Turnipseed
State Engineer