

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... JUN 06 1988

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... JUN 06 1988

The applicant..... Merle Guldager

123 Maple Street, of Elko, Nevada

Street and No. or P.O. Box No.

City or Town

89801, hereby make S. application for permission to appropriate the public

State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is..... Underground

Name of stream, lake, spring, underground or other source

2. The amount of water applied for is..... 1.0 cfs..... second-feet

One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for..... Quasi-Municipal

Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point..... SE 1/4 NE 1/4 of Section 9, T35N,

Describe as being within a 40-acre subdivision of public

R56E MDB & M. at a point from which the S 1/4 corner of said Section 9 bears

survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

S 37° 12' 35" W, 3888.66 feet.

6. Place of use..... A portion of the SE 1/4 NE 1/4 of Section 9, T35N, R56E, MDB & M.

Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about..... January 1..... and end about..... December 31....., of each year.

Month and Day

Month and Day

8. Description of proposed works (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Well and pipelines to residences.

State manner in which water is to be diverted, i.e. diversion structure, ditches and

flumes, drilled well with pump and motor, etc.

9. Estimated cost of works..... \$20,000

10. Estimated time required to construct works..... 3 years.....
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... 5 years.....

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

..The water will be used by three individual residences at 1000 gallons per day
..for 365 days per year for an annual consumptive use of 1,095,000 gallons.

BOYACK SURVEYING, AGENT
By s/Robert E. Morley
Robert E. Morley
515 South Fifth Street, Elko, Nevada 89801

Compared..... jjk/jm..... pm/se

Protested.....

..... APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water place to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

No perforations shall be put in the production casing from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 1.0 cubic feet per second, but not to exceed 1.095 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... March 20, 1991

Proof of completion of work shall be filed on or before..... April 20, 1991

Application of water to beneficial use shall be made on or before..... March 20, 1994

Proof of the application of water to beneficial use shall be filed on or before..... April 20, 1994

Map in support of proof of beneficial use shall be filed on or before..... N/A

Completion of work filed..... APR 30 1991

Proof of beneficial use filed..... MAR 31 1994

Cultural map filed.....

Certificate No. 14162 Issued JUL 12 1995

IN TESTIMONY WHEREOF, I..... PETER G. MORROS
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this..... 20th day of..... March

A.D. 19..... 89

(Signature of Peter G. Morros)
State Engineer