

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

SEP 12 1988

Date of filing in State Engineer's Office.....

OCT 19 1988

Returned to applicant for correction.....

Corrected application filed.....

Map filed.....

The applicant Nelo Mori Ranch

Street and No. or P.O. Box No. Tuscarora, City or Town

Nevada 89834, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

(If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Stream (unknown name) and spring (unnamed)

Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.05 cfs second-feet

One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet .2

3. The water to be used for Stockwater

Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated

(b) Stockwater, state number and kinds of animals to be watered 200 Cattle

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point NE 1/4 of SE 1/4 SEC 35 R-51E, T40N

Describe as being within a 40-acre subdivision of public

survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

6. Place of use S 1/2 SEC 35, T40N R51E, and the NW 1/4 and the S 1/2 of SEC 36 T40N R51E,

Describe by legal subdivision. If on unsurveyed land, it should be so stated.

n 1/2 of Sec. 1 T39N R51E

7. Use will begin about January 1 and end about December 31, of each year.

Month and Day

Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Stockwater Pond 50' x 50' 3' deep pond

State manner in which water is to be diverted, i.e. diversion structure, ditches and

flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$1,000

