

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office NOV 7 1988

Returned to applicant for correction..... under 48416, Sht. 2

Corrected application filed..... Map filed SEP 19 1984 of 2 Proposed POD

The applicant JOSEPH F. ARROYO

1475 Terminal Way Suite 2 of
Street and No. or P.O. Box No. City or Town

Nevada 89502 hereby make application for permission to change the
State and Zip Code No.

Point of Diversion and Place of Use
Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Application #48645
(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

1. The source of water is Underground
Name of stream, lake, underground spring or other source.
2. The amount of water to be changed 1.0 c.f.s. (392.18 acre feet)
Second feet, acre feet. One second foot equals 448.3 gallons per minute.
3. The water to be used for Quasi - Municipal & Domestic
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
4. The water heretofore permitted for Same
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
5. The water is to be diverted at the following point SE 1/4 SW 1/4 Section 29, T. 14 N., R. 20 E., M.D.B. & M. or at a point from which the SE corner of said Section 29 bears S. 63° 25' 12" E., 2975 ft.
Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.
6. The existing permitted point of diversion is located within SW 1/4 NW 1/4 Section 1, T. 12 N., R. 20 E., M.D.B. & M. or at a point from which the W 1/4 corner of said Section 1 bears S. 45° 00' W., 425 ft.
If point of diversion is not changed, do not answer
7. Proposed place of use NW 1/4, N 1/2 SW 1/4, Section 28; NE 1/4, N 1/2 SE 1/4, SE 1/4 SE 1/4, Section 29, T. 14 N., R. 20 E., M.D.B. & M.
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
8. Existing place of use N 1/2 SW 1/4, N 1/2 SE 1/4 Section 1; NE 1/4, Portion E 1/2 NE 1/4, portion of E 1/2 SW 1/4, N 1/2 SE 1/4, N 1/2 SW 1/4 SE 1/4, SE 1/4 SE 1/4 Section 2, T. 12 N., R. 20 E. M.D.B. & M.; E 1/2 SE 1/4, SE 1/4 NE 1/4 Section 36, T. 13 N., R. 20 E. M.D.B. & M.
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.
9. Use will be from January 1 to December 31 of each year.
Month and Day Month and Day
10. Use was permitted from January 1 to December 31 of each year.
Month and Day Month and Day
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) well, pump, motor and distribution system.
State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes, or drilled well, etc.
12. Estimated cost of works \$50,000.00
13. Estimated time required to construct works 2 years

14. Estimated time required to complete the application of water to beneficial use..... 5 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Water will be used for Saratoga Springs Estates 541 single family units; Health Spa and Golf Course facilities. Please use map in support of 48416 for the proposed Point of Diversion.

s/ Jack D. Ferris

By..... THIEL, WINCHELL & ASSOCIATES
5151 So. Carson St., Suite 301
Carson City, NV 89701

Compared..... pm/ kh bp/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 48645 is issued subject to the terms and conditions imposed in said Permit 48645 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 52692 and 52693 shall not exceed 392.18 acre feet.

The total combined duty of water under Permits 52692, 52693, 52706 and 52707 shall not exceed 890.18 acre feet.

This permit is limited to 541 dwellings and health spa use only. The golf (CONTINUED ON PAGE 2)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 1.0..... cubic feet per second, but not to exceed 392.18 acre feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... July 18, 1992

Proof of completion of work shall be filed before..... August 18, 1992

Application of water to beneficial use shall be made on or before..... July 18, 1995

Proof of the application of water to beneficial use shall be filed on or before..... August 18, 1995

Map in support of proof of beneficial use shall be filed on or before..... August 18, 1995

Completion of work filed..... IN TESTIMONY WHEREOF, IR. MICHAEL TURNIPSEED, P.E.,
State Engineer of Nevada, have hercunto set my hand and the seal of my
Proof of beneficial use filed..... office, this..... 13th day of..... March.....
Cultural map filed.....
A.D. 19..... 90.....
Certificate No..... Issued.....

Michael Turnipseed P.E.
State Engineer

Abrogated By 541051

(PERMIT TERMS CONTINUED)

course use from underground sources must be limited to the amount granted under Permits 52706 and 52707 being 498.0 acre feet annually.

A totalizing meter must be installed in the discharge line of the distribution system of the golf course and separate from the distribution system of the 541 unit subdivision and health spa. Accurate measurements must be kept of water placed to beneficial use separately on each system.

This permit is issued with the understanding that any withdrawal or cancellation of this permit will result in the amount of water granted under this permit reverting back to the groundwater source and not to the base right.

This permit is issued with the understanding that this right remains appurtenant to this place of use.