

**APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office. ~~--- MAR 08 1989 ---~~ NEW PRIORITY DATE: MAR 2 1995

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... **MAR 08 1989**

The applicant Bajram Koljenovic  
4072 Silver Dollar #5, of Las Vegas,  
Street and No. or P.O. Box No. City or Town  
Nevada 89107, hereby make application for permission to appropriate the public  
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) N/A

1. The source of the proposed appropriation is underground source  
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.05 c.f.s. second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet N/A

3. The water to be used for Quasi Municipal Purposes  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated N/A

(b) Stockwater, state number and kinds of animals to be watered N/A

(c) Other use (describe fully under "No. 12. Remarks") See Item #12

(d) Power:

(1) Horsepower developed N/A

(2) Point of return of water to stream N/A

5. The water is to be diverted from its source at the following point within the Northwest quarter (NW¼)  
Describe as being within a 40-acre subdivision of public

Southeast Quarter (SE¼) of Section 15, Township 22 South, Range 60 East, MDBM  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

from which the Center Quarter (C¼) of said Section 15, Bears North 15°50' West, a distance of 197.0ft.

6. Place of use Northwest Quarter (NW¼) Northwest Quarter (NW¼) Northwest Quarter (NW¼)  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

Southeast Quarter (SE¼), Section 15, Township 22 South, Range 60 East, MDBM.

7. Use will begin about January 1st. and end about December 31st., of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drill 8" steel cased well, install 5 hp.  
State manner in which water is to be diverted, i.e. diversion structure, ditches and  
submersible pump, meter, storage tank, booster tank, booster pump, piping wiring  
flumes, drilled well with pump and motor, etc. and appurtenances.

9. Estimated cost of works \$15,000.00

10. Estimated time required to construct works..... 1 year......  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use... three to five years......

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Well to service 4 houses.

/s/ eligible

By..... Fulstone Enterprises 940 Martin L. King  
Las Vegas, Nevada 89106  
Las Vegas, Nevada

Compared kh/pas bp/se

Protested.....

APPROVAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.05..... cubic feet per second, but not to exceed 1.46 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... December 14, 1991

Proof of completion of work shall be filed on or before..... January 14, 1992

Application of water to beneficial use shall be made on or before..... December 14, 1994

Proof of the application of water to beneficial use shall be filed on or before..... January 14, 1995

Map in support of proof of beneficial use shall be filed on or before..... N/A

Completion of work filed..... AUG 18 1995

IN TESTIMONY WHEREOF, I..... PETER G. MORROS  
State Engineer of Nevada, have hereunto set my hand and the seal of my

Proof of beneficial use filed.....

office, this..... 14th day of..... December

Cultural map filed.....

A.D. 19 89

Certificate No..... Issued.....

*[Signature]*  
State Engineer

~~CANCELLED (0) FEB 07 1995 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT~~

~~STATE ENGINEER~~

*Permit Rescinded 4-18-95*