

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

APR 21 1989

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... APR 21 1989

The applicant Kelly Morgan

8560 So. Schirlls, of Las Vegas

Nevada 89118, hereby make application for permission to appropriate the public

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) N/A

1. The source of the proposed appropriation is an underground source

Name of stream, lake, spring, underground or other source

2. The amount of water applied for is .035 second-feet

One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet N/A

3. The water to be used for quasi-municipal purposes

Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated N/A

(b) Stockwater, state number and kinds of animals to be watered N/A

(c) Other use (describe fully under "No. 12. Remarks") see Item #12

(d) Power:

(1) Horsepower developed N/A

(2) Point of return of water to stream N/A

5. The water is to be diverted from its source at the following point within the Northwest Quarter

Describe as being within a 40-acre subdivision of public

(NW 1/4) of the Northeast Quarter (NE 1/4) of Section 22, T22S, R60E, MDBM, from which the North one-quarter (N 1/4) corner of said Section 22 bears North 62°14' West a distance of 854.00ft.

6. Place of use Southwest Quarter (SW 1/4) of the Northeast Quarter (NE 1/4)

Describe by legal subdivision. If on unsurveyed land, it should be so stated.

of the Northwest Quarter (NW 1/4) of the Northeast Quarter (NE 1/4) of Section 22, T22S, R60E, MDBM

7. Use will begin about January 1st. and end about December 31st., of each year.

Month and Day

Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drill 8" steel cased well, install

State manner in which water is to be diverted, i.e. diversion structure, ditches and

5hp. submersible pump, wiring, storage tank, pressure tank, booster pump, meter and appurtenances.

9. Estimated cost of works \$18,000.00

10. Estimated time required to construct works. one year.
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use. 3 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Well to service 3 houses.

By /s/ Robert Fulstone
940 Martin L. King Blvd.
Las Vegas, Nevada 89106

Compared kh/se bp/ct

Protested.....

.....APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.035 cubic feet per second, but not to exceed 1.095 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before September 8, 1991

Proof of completion of work shall be filed on or before October 8, 1991

Application of water to beneficial use shall be made on or before September 8, 1994

Proof of the application of water to beneficial use shall be filed on or before October 8, 1994

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed OCT 22 1991 IN TESTIMONY WHEREOF, I PETER G. MORROS
State Engineer of Nevada, have hereunto set my hand and the seal of my

Proof of beneficial use filed..... office, this 8th day of September

Cultural map filed..... A.D. 19 89

Certificate No. Issued.....

State Engineer