

14. Estimated time required to complete the application of water to beneficial use... four years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Net estimated annual consumption is as described under Permit #51082

Please send copies of all correspondence and notices to undersigned agent.

By s/William A. Nisbet
Agent
421 Court
Elko, Nevada 89801

Compared cc/pm bp/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 51802 is issued subject to the terms and conditions imposed in said Permit 51802 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the Proof of Completion of Work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

No perforations shall be put in the production casing from ground level to 100 feet.

The total combined duty of water under Permits 50672, 51163, 51292, 51399, 51400, 52452, 53002, 53003, 53271, 53272 and 53273 shall not exceed 377 gallons annually.

The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not

to exceed 0.34 cubic feet per second, but not to exceed 80.208

million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before February 1, 1991

Proof of completion of work shall be filed before March 1, 1991

Application of water to beneficial use shall be made on or before February 1, 1992

Proof of the application of water to beneficial use shall be filed on or before March 1, 1992

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed APR 4 1991

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E., State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 27th day of February,

A.D. 1990

[Signature]
State Engineer