

**APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office JAN - 9 1990 New Priority Date: OCT 19, 1995

Returned to applicant for correction.....

Corrected application filed.....

Map filed JAN 9 1990

The applicant Daniel Mater and Laurie Mater  
3751 So. Nellis # 291, of Las Vegas,  
Street and No. or P.O. Box No. City or Town  
Nevada 89121, hereby make... application for permission to appropriate the public  
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground source  
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.06 C.F.S. (8 Homes) second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for Quasi-municipal Domestic  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:  
(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:  
(1) Horsepower developed.....  
(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point within the NE¼ NW¼ Section  
Describe as being within a 40-acre subdivision of public  
29, Township 19 South, Range 60 East M.D.M. The NW Corner of said  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.  
Section 29 bears N 73° 11' 52" W a distance of 2404.00 Feet.

6. Place of use A Portion of SE¼ NE¼ NW¼ Section 29, Township 19 South,  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.  
Range 60 East M.D.M.

7. Use will begin about January 1 and end about December 31, of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 8" Well casing approximately 500'  
State manner in which water is to be diverted, i.e. diversion structure, ditches and  
deep thru 2" water mains  
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$25000.00

10. Estimated time required to construct works..... 2 Years  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... 4 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

By s/Richard L. Hafen Agent  
Richard L. Hafen Agent  
2383 Gateway Rd  
Las Vegas, Nevada 89115

Compared cc/jjs bp/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.06 cubic feet per second, but not to exceed 2.92 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before June 18, 1992

Proof of completion of work shall be filed on or before July 18, 1992

Application of water to beneficial use shall be made on or before June 18, 1995

Proof of the application of water to beneficial use shall be filed on or before July 18, 1995

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed JUL 31 1992 IN TESTIMONY WHEREOF, R. MICHAEL TURNIPSEED, P.E.

Proof of beneficial use filed..... office, this 18th day of June

Cultural map filed..... A.D. 19 90

Certificate No..... Issued.....  
*[Signature]*  
State Engineer

(0)-5314 (Rev.)

SEP 06 1995

BECAUSE OF FAILURE

CANCELLED OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

*[Signature]*  
STATE ENGINEER  
can Rescued 11-2-95