

**APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office..... **FEB 9 1990**  
 Returned to applicant for correction..... **MAR 15 1990**  
 Corrected application filed.....  
 Map filed..... **APR 10 1990**

The applicant..... **CHRISTIANNA NORTON**  
**5685 N. Riley St.**, of **Las Vegas**,  
Street and No. or P.O. Box No. City or Town  
**Nevada 89129**, hereby make... application for permission to appropriate the public  
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is..... **Underground**  
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is..... **0.10**.....second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for..... **Quasi-Municipal**  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated..... **N/A**

(b) Stockwater, state number and kinds of animals to be watered..... **N/A**

(c) Other use (describe fully under "No. 12. Remarks")..... **Domestic - 4. S. F. Dwellings**

(d) Power:

(1) Horsepower developed..... **N/A**

(2) Point of return of water to stream..... **N/A**

5. The water is to be diverted from its source at the following point..... **Being S 50°27'17"W 237.892 ft. from the N1/4 cor. of Section 6, T20S, R60E, M.D.&M. where the east line of said section bears S 0°53'15"W. The above description is located in the NE1/4, NE1/4, NE1/4, NW1/4 of said Section 6.**  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

6. Place of use..... **The northeast 1/4 of the northeast 1/4 of the northeast 1/4 of the northwest 1/4 of Section 6, Township 20 South, Range 60, East, M.D.&M., Clark County, Nevada**  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about..... **January 1st**..... and end about..... **December 31st.**....., of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... **From the existing well and pump to proposed 5,000 gal. pressurized tank to 2" PVC Class 150 pipe to house laterals.**  
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works..... **\$15,000 to \$20,000**

10. Estimated time required to construct works. Requires 60 days construction time.  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use. Approximately five years to develop site and build the single family dwellings.

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Four (4) single family dwellings. The existing well proposed for quasi-municipal use has been used, up until now as a single home domestic water supply.

s/Paul H. Judd  
By 2804 Edge Rock Circle  
Las Vegas, Nevada 89117

Compared bp/se bp/vw

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.10 cubic feet per second, but not to exceed 1.46 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before August 10, 1992

Proof of completion of work shall be filed on or before September 10, 1992

Application of water to beneficial use shall be made on or before August 10, 1995

Proof of the application of water to beneficial use shall be filed on or before September 10, 1995

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed NOV 9 - 1992 IN TESTIMONY WHEREOF, R. MICHAEL TURNIPSEED, P.E.

Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 10th day of August

Cultural map filed.....

A.D. 19 90

Certificate No..... Issued.....

*[Signature]*  
State Engineer