

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... MAR 01 1990

Returned to applicant for correction..... MAR 23 1990

Corrected application filed.....

Map filed..... MAY 01 1990

The applicant George Reynolds

Rt. 2, Box 9A, of Round Mountain,
Street and No. or P.O. Box No. City or Town

Nv. 89045, hereby make... application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) N/A

1. The source of the proposed appropriation is Underground
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.0077 cfs second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet N/A

3. The water to be used for Commercial
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks") See No. 12 Remarks

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point located in the SE 1/4 of NW 1/4, Sec. 10,
Describe as being within a 40-acre subdivision of public

T 14 N, R 43 E, MDB&M; from said point the C 1/2 corner of Sec. 10 bears S 47° 42'
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

34" E a distance of 1079.55 feet.

6. Place of use Portion of SE 1/4 of NW 1/4, Sec. 10, T 14 N, R 43 E, MDB&M.
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about Jan. 1st and end about Dec. 31st, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Water will be diverted with pump and motor
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.
into a standard pressure system typical of individual residences.

9. Estimated cost of works \$2,000.00

10. Estimated time required to construct works 6 months If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 3 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The water from the existing wells has been analyzed and found to be exceptionally pure. We want to start a small business selling ice and drinking water to people within the surrounding and outlying areas. Annual consumptive use is estimated at 5000 gal/day, 1,825,000 gal/year.

George Reynolds
By s/George W. Reynolds
Rt. 2, Box 9A
Round Mountain, Nv. 89045

Compared bk/pm am/se

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120 (2) as a preferred use. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to

exceed 0.0077 cubic feet per second, but not to exceed a yearly duty of 1.82 million gallons.

Work must be prosecuted with reasonable diligence and be completed on or before April 22, 1992

Proof of completion of work shall be filed on or before May 22, 1992

Application of water to beneficial use shall be made on or before April 22, 1994

Proof of the application of water to beneficial use shall be filed on or before May 22, 1994

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed JAN 7 - 1994

IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED, P.E.

State Engineer of Nevada, have hereunto set my hand and the seal of my

Proof of beneficial use filed _____

office, this 22nd day of April

Cultural map filed _____

A.D. 19 91

Certificate No. _____ Issued _____

[Signature]
State Engineer

CANCELLED AUG 22 1995 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

[Signature]
STATE ENGINEER