

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office..... MAR 8 1990.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... MAR 8 1990.....

The applicant County of Elko (Community of Jackpot).....

Elko County Courthouse....., of Elko.....
Street and No. or P.O. Box No. City or Town

Nevada....., hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.).....

1. The source of the proposed appropriation is underground (well).....
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 3.35.....second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for (community of Jackpot) Quasi-Municipal & domestic.....
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point located in NW 1/4 Section 1, T47N,.....
Describe as being within a 40-acre subdivision of public

R64E, MDB&M, Bearing South 44°14'30" West a distance of 3758 feet from the.....
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

Northeast corner of said Section 1, T47N, R64E, MDB&M......

6. Place of use water supply for the unincorporated town of Jackpot, Nevada located.....
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

N 1/2 of Section 12, Township 47N, Range 64 East, Mount Diablo Base and Meridian,.....

Elko County, Nevada......

7. Use will begin about January 1.....and end about December 31....., of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) drilled well with pump and electric motor......
State manner in which water is to be diverted, i.e. diversion structure, ditches and

fumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$164,500.....

10. Estimated time required to construct works six months.
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use eight months.

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The current population of Jackpot is approximately 1,000. It is estimated that the population will increase to 1,500 by the year 2010. Average daily use is approximately 650 gallons per capita per day (GPCD).

By s/George R. E. Boucher
Room 106 Courthouse
Elko, Nevada 89801

Compared bc/ se ap/se

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.
(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 3.35 cubic feet per second, but not to exceed 355.88 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before December 17, 1993

Proof of completion of work shall be filed on or before January 17, 1994

Application of water to beneficial use shall be made on or before December 17, 1998

Proof of the application of water to beneficial use shall be filed on or before January 17, 1999

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed FEB 17 1994

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E., State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 5th day of February

A.D. 1993

(Signature)
State Engineer

(PERMIT TERMS CONTINUED)

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

The total combined diversion rate under Permits 54518 and 55264 is limited to 5.57 cubic feet per second.

The total combined duty of water under Permits 22344, Certificate 6240; 24590, Certificate 8452; 26341, Certificate 8815; 43464, 45141, Certificate 13071; 54518 and 55264 shall not exceed 452.33 million gallons annually.