

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office. MAR 12 1990

Returned to applicant for correction.

Corrected application filed.

Map filed. MAR 12 1990

The applicant Belinda Swanner

C/O Circle Realty D. Pulsipher, of 2400 W. Charleston Blvd. Las Vegas, Nevada 89102

hereby make... application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Las Vegas Artesian Basin (underground)

2. The amount of water applied for is .0092 second-feet

(a) If stored in reservoir give number of acre-feet

3. The water to be used for Domestic and Quasi-Municipal 4 homes

4. If use is for:

(a) Irrigation, state number of acres to be irrigated

(b) Stockwater, state number and kinds of animals to be watered

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point. NE 1/4 Section 32 T19S, R60E MDB&M

or at a point from which the E 1/4 corner of said Section 32 bears North 49° 30' 34" survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

East a distance of 1789.31 Feet.

6. Place of use a portion of the NE 1/4 Section 32 T19S, R60E MDB&M.

7. Use will begin about January 1 and end about December 31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 500 feet of well casing 8 inches in diameter equipped with a 5hp subsersable pump and 250 gal. pressure Tank.

9. Estimated cost of works \$15,000.00

10. Estimated time required to construct works.....1 year.....
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use.....3 years.....

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

4 homes domestic and landscaping purposes.....

s/Joseph M. Kolasky
By Joseph M. Kolasky State Water Rights Surveyor
531 N. Radwick Dr. # 473
Las Vegas, Nevada 89110

Compared pm/ bp bp/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.0092.....cubic feet per second, but not to exceed 1.46 million gallons annually.....

Work must be prosecuted with reasonable diligence and be completed on or before.....August 24, 1992

Proof of completion of work shall be filed on or before.....September 24, 1992

Application of water to beneficial use shall be made on or before.....August 24, 1995

Proof of the application of water to beneficial use shall be filed on or before.....September 24, 1995

Map in support of proof of beneficial use shall be filed on or before.....N/A

Completion of work filed.....OCT 29 1992

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,
State Engineer of Nevada, have hereunto set my hand and the seal of my
office, this.....24th.....day of.....August.....

Proof of beneficial use filed.....

Cultural map filed.....

A.D. 19..90

Certificate No.....Issued.....

[Handwritten Signature]
State Engineer

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office... MAR 12 1990

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... MAR 12 1990

The applicant... Belinda Swanner

C/O Circle Realty D. Pulsipher, of 2400 W. Charleston Blvd. Las Vegas, Nevada 89102

hereby make... application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is... Las Vegas Artesian Basin (underground)

2. The amount of water applied for is... .0092 second-foot

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for... Domestic and Quasi-Municipal 4 homes

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under No. 12. "Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point... NE 1/4 SE 1/4 Section 32 T19S, R60E

MDB&M or at a point from which the E 1/4 corner of said Section 32 bears North 49°

30' 34" East a distance of 1789.31 Feet.

6. Place of use... a portion of the NE 1/4 SE 1/4 Section 32 T19S, R60E MDB&M.

7. Use will begin about... January 1 and end about... December 31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)... 500 feet of well casing 8 inches in diameter

equipped with a 5hp subsersable pump and 250 gal. pressure Tank.