

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office... MAR 13 1990
Returned to applicant for correction... MAR 23 1990
Corrected application filed... MAY 01 1990
Map filed... MAY 01 1990

The applicant William C. Gibson and Marion O. Gibson
3270 Pebble Road, of Las Vegas, Nevada 89119
hereby make... application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is underground, Las Vegas Artesian Basin
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.015 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet

3. The water to be used for quasi-municipal, domestic.
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:
(a) Irrigation, state number of acres to be irrigated
(b) Stockwater, state number and kinds of animals to be watered
(c) Other use (describe fully under "No. 12. Remarks")
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point within the SE 1/4 SW 1/4, Section 17, T22S, R61E, M.D.M., from which the South 1/4 corner bears S 48° 54' E 1495.0'.
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

6. Place of use E 1/2 W 1/2 NW 1/4 SE 1/4 SW 1/4, Section 17, T22S, R61E, M.D.M..
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about January 1st and end about December 31st, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) drilled well with pump & motor, then piped to lots.
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$20,000.00.

10. Estimated time required to construct works... well is existing, 8" cased to 360'
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use... 24 months

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Water will be used for quasi-municipal, domestic for three (3) single family dwelling units.

By Kenneth J. Brown, Agent
s/Kenneth J. Brown
3355 Spring Mountain Rd. #242
Las Vegas, NV. 89102

Compared bc/ap bp/se

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.015 cubic feet per second, but not to exceed 1.095 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before September 6, 1992

Proof of completion of work shall be filed on or before October 6, 1992

Application of water to beneficial use shall be made on or before September 6, 1995

Proof of the application of water to beneficial use shall be filed on or before October 6, 1995

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed _____ IN TESTIMONY WHEREOF, IR. MICHAEL TURNIPSEED, P.E.

Proof of beneficial use filed _____ State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 6th day of September

Cultural map filed _____ A.D. 19 90

Certificate No. _____ Issued _____
Michael Turnipseed P.E.
State Engineer

(0)-5314 (Rev.)

CANCELLED NOV 30 1992 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

Michael Turnipseed P.E.
STATE ENGINEER