AMENDED Serial No. 54693

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office APR 25 1990

Returned to applicant for correction JUN 13 1990

Corrected application filed AUG 06 1990 Map filed AUG 06 1990 under 54692

The applicant Michael W., Carol L., Weldon L., and Marjorie H. Flier, and James F. Chamberlain,

5399 Sierra Vista Ave (Street and No. or P.O. Box No.) of Riverside (City or Town)

California 92505 (State and Zip Code No.) hereby make.... application for permission to change the

Point of diversion and place of use of a portion (Point of diversion, manner of use, and/or place of use)

of water heretofore appropriated under Permit 49199 (Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

1. The source of water is Underground (Name of stream, lake, underground spring or other source.)
2. The amount of water to be changed 0.024 sec-ft, not to exceed 5.60 ac-ft per annum. (Second feet, acre feet. One second foot equals 448.83 gallons per minute.)
3. The water to be used for Quasi-municipal (Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.)
4. The water heretofore permitted for Quasi-municipal (Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.)
5. The water is to be diverted at the following point within the NE¼ NE¼ Sec. 33, T14N, R20E, M.D.B.&M., or at a point from which the N¼ Corner of said Section 33 bears N 68° 38' W., 2,676 feet. (Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.)
6. The existing permitted point of diversion is located within the SE¼ NW¼ Sec. 33, T14N, R20E, M.D.B.&M., or at a point from which the northwest corner of said Section 33 bears N 30° 57' 42" W, a distance of 2,708.69 feet. (If point of diversion is not changed, do not answer.)
7. Proposed place of use APN Nos. 21-061-15, 21-061-17, 21-061-18, and 21-061-19 in the NE¼ SE¼ Sec. 28, T14N, R20E, M.D.B.&M., and APN 21-062-17 in the SE¼ SE¼ Sec. 28, T14N, R20E, M.D.B.&M. (Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.)
8. Existing place of use W½ Sec. 33, T14N, R20E, Portion SE¼ SW¼ Sec. 28, T14N, R20E, M.D.B.&M. (Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)
9. Use will be from January 1 (Month and Day) to December 31 (Month and Day) of each year.
10. Use was permitted from January 1 (Month and Day) to December 31 (Month and Day) of each year.
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Existing drilled gravel packed well, pump and motor, storage tank and transmission lines. (State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes, or drilled well, etc.)
12. Estimated cost of works $150,000
13. Estimated time required to construct works Existing 12" x 225' drilled well.

14. Estimated time required to complete the application of water to beneficial use 10 Years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

This application is filed in conjunction with a similar application to change a portion of Permit 49237. The two applications combined are intended to serve 5 single-family residential lots with a total of 5.60 ac-ft per annum (1.82 MGA).

By Lumos & Associates, Inc.
s/Robert F. Lauder
800 E. Graves Lane
Carson City, Nevada 89706

Compared bc/ nsm

Protested

.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed ..... cubic feet per second .....

Work must be prosecuted with reasonable diligence and be completed on or before .....

Proof of completion of work shall be filed before .....

Application of water to beneficial use shall be made on or before .....

Proof of the application of water to beneficial use shall be filed on or before .....

Map in support of proof of beneficial use shall be filed on or before .....

Completion of work filed .....

Proof of beneficial use filed .....

Cultural map filed .....

Certificate No. ..... Issued .....

IN TESTIMONY WHEREOF, I, ..., State Engineer of Nevada, have hereunto set my hand and the seal of my office, this ..... day of ....., A.D. 19.....

State Engineer

WITHDRAWN BY APPLICANT NOV 06 1995

STATE ENGINEER

(O)-1108 (Rev. 6-81)