

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office JUN 28 1990

Returned to applicant for correction _____

Corrected application filed _____

Map filed JUN 28 1990

The applicant Harry Woolery

1401 Church Street, of Roseville
Street and No. or P.O. Box No. City or Town

California 95678, hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is AN UNDERGROUND SOURCE
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is .09 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet _____

3. The water to be used for COMMERCIAL & DOMESTIC
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated _____

(b) Stockwater, state number and kinds of animals to be watered _____

(c) Other use (describe fully under "No. 12. Remarks") See Remarks

(d) Power:

(1) Horsepower developed _____

(2) Point of return of water to stream _____

5. The water is to be diverted from its source at the following point Located in the SE $\frac{1}{4}$ -SE $\frac{1}{4}$ Sec. 14,
Describe as being within a 40-acre subdivision of public

T.19N., R.27E., M.D.B.&M; from a point that bears N 08° 27' 46" E a distance
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

of 1958.50 feet to the E $\frac{1}{4}$ corner of said Section 14.

6. Place of use 110.0 Ac. located in the NE $\frac{1}{4}$ -SE $\frac{1}{4}$, NW $\frac{1}{4}$ -SE $\frac{1}{4}$ and a portion of the
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

SE $\frac{1}{4}$ -SE $\frac{1}{4}$ and the SW $\frac{1}{4}$ -SE $\frac{1}{4}$ of Section 14, T.19N., R.27E., M.D.B.&M.

7. Use will begin about Jan 1 and end about Dec 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) DRILLED & CASED WELL, PUMP, & DISTRIBUTION
State manner in which water is to be diverted, i.e. diversion structure, ditches and

SYSTEM
fumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$20,000

10. Estimated time required to construct works 1 year
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 2 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The proposed use will be a Livestock Auction yard. Uses included in this yard will be Restrooms, cafe, watering devices, and public drinking water.

By s/Barry Fitzpatrick
Barry Fitzpatrick S.W.R.S#817
137 Keddie Streed
Fallon, NV 89406

Compared bc/ sm am/se

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.09 cubic feet per second, but not to exceed 4.1 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before December 10, 1991

Proof of completion of work shall be filed on or before January 10, 1992

Application of water to beneficial use shall be made on or before December 10, 1993

Proof of the application of water to beneficial use shall be filed on or before January 10, 1994

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed JAN 22 1992 IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.

Proof of beneficial use filed FEB 01 2002 State Engineer of Nevada, have hereunto set my hand and the seal of my

Cultural map filed office, this 10th day of December

Certificate No. 16055 issued APR 16 2002 A.D. 19 90

[Signature]
State Engineer

port
Abilgawwys 62713 0.035
Part 66238 0.026

(PERMIT TERMS CONTINUED)

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

