

**AMENDED**

**APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

**JUL 19 1990**

Date of filing in State Engineer's Office.....

**AUG 20 1990**

Returned to applicant for correction.....

Corrected application filed.....

Map filed.....

The applicant Richard F. Riordan Certified Professional Geologist

2674 Robidoux Road of Sandy  
Street and No. or P.O. Box No. City or Town

Utah 84093, hereby make application for permission to appropriate the public  
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground  
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 1 cfs second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for Industrial and Domestic  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks") Pls. see Question 12

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point within the SE 1/4 SE 1/4 of Section 7,  
T.18S., R.64E., or at a point whence the SE Corner Describe as being within a 40-acre subdivision of public  
of said Section 7 bears S. 63° 59' 30" E., a distance of 1,225 feet. This is shown  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

on the Map accompanying Permit 43533 which this application duplicates

6. Place of use The S 1/2 of The S 1/2 of the SW 1/4, the S 1/2 of the S 1/2 SE 1/4 of Sec. 7, T.18S.,  
R.64E., MDB&M; the NW 1/4, the W 1/2 of the SW 1/4, and a portion of the S 1/2  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.  
of SE 1/4 of SW 1/4 of  
Sec. 18, T.18S., R.64E. MDB&M; the NW 1/4 of NW 1/4, the N 1/2 of SW 1/4 of NW 1/4, the W 1/2 of  
NE 1/4 of NW 1/4 and the NW 1/4 of SE 1/4 of the NW 1/4 of Sec. 19, T.18S., R.64E., MDB&M;  
the NE 1/4 of SE 1/4, a portion of the E 1/2 of NE 1/4 of Sec. 13, T.18S., R.63E., MDB&M;  
the NE 1/4 of the SW 1/4 and the N 1/2 of the NE 1/4 and the N 1/2 of the SW 1/4 of the NE 1/4  
of Sec. 18, T.18S., R.64E., MDB&M.

7. Use will begin about January 1 and end about December 31, of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Existing cased well 625 feet deep and pump with  
State manner in which water is to be diverted, i.e. diversion structure, ditches and  
pipeline to a proposed storage tank and a pipeline system to the above place of use.  
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$175,000

10. Estimated time required to construct works 6 months for tank and pipeline (well completed)  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 1 year

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Water is intended to be used in the manufacture of portland cement and construction aggregates. Water use will be for the cooling of off-gases, the cooling of processing equipment, washing product, plant fire protection, and potable and sanitary uses. A single processing facility is planned. Expected annual consumptive use is 724 A.F. Recirculation and other conservation measures will be employed.

By s/ Richard F. Riordan  
2674 Robidoux Road  
Sandy, Utah 84093

Compared am/ my

Protested 1/7/91 by: U.S. Dept. of the Interior, National Park Service

DENIAL OF STATE ENGINEER

~~This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions~~

This application is hereby denied on the grounds that the approval of an application that the applicant has no intention of completing would threaten to prove detrimental to the public interest. No ruling is made on the merits of the protest.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed \_\_\_\_\_ cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before \_\_\_\_\_

Proof of completion of work shall be filed on or before \_\_\_\_\_

Application of water to beneficial use shall be made on or before \_\_\_\_\_

Proof of the application of water to beneficial use shall be filed on or before \_\_\_\_\_

Map in support of proof of beneficial use shall be filed on or before \_\_\_\_\_

Completion of work filed \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

IN TESTIMONY WHEREOF, I HUGH RICCI, P.E.  
State Engineer of Nevada, have hereunto set my hand and the seal of my  
office, this 20th day of February

A.D. ~~19~~ 2002

Hugh Ricci, P.E.  
State Engineer