

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUL 30 1990 NEW PRIORITY DATE: APR 18 1997  
JUL 12 2000

Returned to applicant for correction.....

Corrected application filed.....

Map filed JUL 30 1990

The applicant Ali Asghar Soleimani

537 Fairfield Road, of Simi Valley,  
Street and No. or P.O. Box No. City or Town

California 93065, hereby make.... application for permission to appropriate the public  
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is an underground source  
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.046 second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet N/A

3. The water to be used for Quasi-municipal purposes  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:  
(a) Irrigation, state number of acres to be irrigated N/A

(b) Stockwater, state number and kinds of animals to be watered N/A

(c) Other use (describe fully under "No. 12. Remarks") see item no. 12

(d) Power:  
(1) Horsepower developed N/A

(2) Point of return of water to stream N/A

5. The water is to be diverted from its source at the following point SW 1/4 NE 1/4 Sec. 24, T19S, R60E MDB&M  
or at a point from which the Center one-quarter Describe as being within a 40-acre subdivision of public  
(C 1/4) corner of said Section 24, T19S, R60E, MDB&M bears South 83° 49' 39"  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.  
West a distance of 888.00 feet.

6. Place of use Southwest quarter (SW 1/4) of the Southeast quarter (SE 1/4) of the  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

Southwest quarter (SW 1/4) of the Northeast quarter (NE 1/4) of Section 24, T19S,  
R60E, MDB&M, Clark County, Nevada

7. Use will begin about January 1st and end about December 31st, of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drill 8" steel cased well, install 5hp  
submersible pump, wiring, storage tank, pressure tank, booster pump, meter and appurtances.  
State manner in which water is to be diverted, i.e. diversion structure: ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$18,000.00

10. Estimated time required to construct works..... one year .....  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... three years .....

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Well to Service four houses.

By s/Robert Fulstone Agent  
Fulstone Enterprises  
940 S. Martin L. King Blvd.  
Las Vegas, Nevada 89106

Compared..... bc/jm ..... am/se .....

Protested.....

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.046 .....cubic feet per second..... but not to exceed 1.46 million .....  
gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... January 18, 1993 .....

Proof of completion of work shall be filed on or before..... February 18, 1993 .....

Application of water to beneficial use shall be made on or before..... January 18, 1996 .....

Proof of the application of water to beneficial use shall be filed on or before..... February 18, 1996 .....

Map in support of proof of beneficial use shall be filed on or before..... N/A .....

Completion of work filed..... MAR 07 1996 .....

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.  
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this..... 18th .....day of..... January .....

A.D. 19.....91.....

*[Signature]*  
State Engineer

~~CANCELED APR - 1 1997 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT (D) 514 (Rev) *[Signature]* STATE ENGINEER~~  
Can. Rescinded 5-28-97

~~CANCELED AUG 20 2000 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT *[Signature]* STATE ENGINEER~~  
Can rescinded 11-22-00