

AMENDED

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office. ~~AUG 09 1990~~ NEW PRIORITY DATE: SEPT 16 1996

Returned to applicant for correction. AUG 27 1990

Corrected application filed. OCT 23 1990

Map filed. OCT 23 1990

The applicant. Lance Kakuno, LMK Inc., A Hawaii Corporation
2625 S. Rainbow Blvd. Suite C106, of Las Vegas, Nevada 89102

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) June 25, 1985 Honolulu, Hawaii

1. The source of the proposed appropriation is. Underground Water (Well)
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is. 0.046 CFS (4000 gal/day) second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.

3. The water to be used for. Quasi-municipal, Domestic
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for: N/A

(a) Irrigation, state number of acres to be irrigated.

(b) Stockwater, state number and kinds of animals to be watered.

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream.

5. The water is to be diverted from its source at the following point. within the SE 1/4 SW 1/4 Sec. 36, T21S, R60E, M.D.B.&M., at a point from which the SW 1/16 corner bears N 31° 39' 17" W, a distance of 354.89 feet.

6. Place of use. The NW 1/4 NW 1/4 SE 1/4 SW 1/4 Sec. 36, T21S, R60E, MDB&M.

7. Use will begin about. January 1 and end about. December 31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled well w/pump & motor and pressure storage tank

9. Estimated cost of works. \$28,700

10. Estimated time required to construct works..... 2 years  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... 8 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Total use - 4 homes.

By..... s/Boyd R. Urie, Agent  
132 Sedran Pkce  
Las Vegas, Nevada 89128

Compared..... bc/am..... am/se.....

Protested.....

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.046.....cubic feet per second., but not to exceed 1.46 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... March 11, 1993

Proof of completion of work shall be filed on or before..... April 11, 1993

Application of water to beneficial use shall be made on or before..... March 11, 1996

Proof of the application of water to beneficial use shall be filed on or before..... April 11, 1996

Map in support of proof of beneficial use shall be filed on or before..... N/A

Completion of work filed..... JAN 7 - 1993

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED, P.E.  
State Engineer of Nevada, have hereunto set my hand and the seal of my  
office, this 11th day of March  
A.D. 19...91

*R. Michael Turnipseed*  
State Engineer

AUG 05 1996

CANCELLED..... BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

*[Signature]*  
STATE ENGINEER  
Can. Rescinded 4.30.97