

CORRECTED PERMIT

NO. 55474

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF
NEVADA

Date of filing in State Engineer's Office NOV 19 2000

Returned to applicant for correction _____

Corrected application filed _____

Map filed NOV 19 1990 under 55473

The applicant **Basalite a division of Pacific Coast Building Products, Inc.**, hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **Underground**
2. The amount of water applied for is **0.2 c.f.s.** second-feet
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **Mining and Milling**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks")
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **NW¹/₄ SE¹/₄ Section 16, T.17N., R.22E., M.D.B.&M. or at a point from which the SW corner of said Section 16 bears S. 67°22'32" W. a distance of 3451.71 feet.**
6. Place of Use **SE¹/₄ Section 8; S¹/₂ SW¹/₄ Section 9, NW¹/₄ NE¹/₄, E¹/₂ E¹/₂ Section 17, NW¹/₄, W¹/₂ NE¹/₄, N¹/₂ S¹/₂, Section 16; all within T.17N., R.22E., M.D.B.&M.**
7. Use will begin about **January 1** and end about **December 31** of each year.
8. Description of proposed works **drilled well, pump motor and distribution lines.**
9. Estimated cost of works **\$25,000.00**
10. Estimated time required to construct works **2 years**
11. Estimated time required to complete the application of water to beneficial use **5 years**

12. Remarks: **Water will be used for milling and construction dust suppressant, limited to 20 acre feet annually. This permit will be co-mingled with Permit 55473 for a combined duty of 40 acre feet.**

By **s/Jack D. Ferris**
THIEL, WINCHEL & ASSOCIATES, INC.
34 Lakes Blvd., Suite 101
Dayton, Nevada 89403

Compared dl/cmf hf/cmf

Protested 2/12/91 by Truckee Carson Irrigation District; wd 10/10/00

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

(CONTINUED ON PAGE 3)

CORRECTED PERMIT

Page 3 of 3
(PERMIT TERMS CONTINUED)

55474

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.2 cubic feet per second, **but not to exceed 20.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

December 7, 2001

Proof of completion of work shall be filed before:

January 7, 2002

Water must be placed to beneficial use on or before:

December 7, 2003

Proof of the application of water to beneficial use shall be filed on or before:

January 7, 2004

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 8th day of, January A.D. 2001



State Engineer

Completion of work filed JAN 10 2002

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____

Abrogated By 68172 0.2