

**AMENDED  
APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office DEC 21 1990  
 Returned to applicant for correction FEB 5 1991  
 Corrected application filed APR 5 1991  
 Map filed APR 5 1991 under 55551

Eco-Vision, Inc.  
 The applicant 3445 Skyline Blvd. Reno  
 Nevada 89509 S City or Town  
 State and Zip Code No. hereby make application for permission to appropriate the public

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)  
Incorporated in Nevada in 1990

1. The source of the proposed appropriation is underground  
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 10.00 cfs 7239.66 Acre-Feet Annually  
One second-foot equals 448.83 gals. per min. second-foot

(a) If stored in reservoir give number of acre-feet Municipal purposes

3. The water to be used for Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:  
 (a) Irrigation, state number of acres to be irrigated \_\_\_\_\_

(b) Stockwater, state number and kinds of animals to be watered \_\_\_\_\_

(c) Other use (describe fully under "No. 12. Remarks") See Attachment "A"

(d) Power:  
 (1) Horsepower developed \_\_\_\_\_  
 (2) Point of return of water to stream \_\_\_\_\_

5. The water is to be diverted from its source at the following point SW 1/4 NW 1/4 Section 14 T.34N., R.51E.,  
Describe as being within a 40-acre subdivision of public  
MDM at a point from which the NW Corner of Section 11, T.34N., R.51E., MDM bears  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.  
N 4°57'35" W a distance of 7292.8 feet

6. Place of use T34N R55E MDM (Elko); T33N R52E MDM (Carlin); T32N R45E MDM (Battle  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.  
Mountain); T36N R38E MDM (Winnemucca); T27N R31E MDM (Lovelock); T20N R24E MDM  
(Fernley & Wadsworth); T15N R20E MDM (Carson City); T18N R19E MDM; T19N R18E MDM;  
T19N R19E MDM; T19N R20E MDM; T20N R19E MDM, T20N R20E MDM, (Reno & Sparks) Use  
Place of Use Map filed under Application 55551

7. Use will begin about January 1 and end about December 31, of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) a drilled & cased well equipped with a motor,  
State manner in which water is to be diverted, i.e. diversion structure, ditches and  
pump & pipeline to the places of use.  
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$150,000.00

10. Estimated time required to construct works..... four years  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... ten years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Total combined duty of Applications 55552, 55553, 55554, 55555, 55556, 55557, 55558, 55559, 55562 & 55568 is not to exceed 72,000.00 Acre-Feet Annually

By s/Milton Manoukian  
Milton Manoukian  
3445 Skyline Blvd.  
Reno, Nevada 89509

Compared pm/ se

Protested See File

**DENIAL** OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby ~~grant~~<sup>deny</sup> the same, subject to the following limitations and conditions:

Applications 55551, 55552, 55553, 55554, 55555, 55556, 55557, 55558, 55559, 55560, 55561, 55562, 55563, 55564, 55565, 55566, 55567, 55568, 55569, 55570, 55571, 55572, 55573, 55574, 55707, 55708, 55709, 55710, 55711, 55712, 55713, 55714, 55715, 55716, 55717, 55718, 55719, 55720, 55721, 56303, 56304, 56305, 56306, 56307, 56308, 56309, 56310, 56311, 56312, 56313, 56314, 56315, 56316, 56317, 56318, 56319 and 56320 are hereby denied on the grounds that the applicant has not submitted the information requested by the State Engineer and, therefore, the granting of said applications without the additional information would not be in the public interest. No ruling is made regarding the merits of the protests and the request for a 90 day extension of time to supply the additional information is hereby denied.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed on or before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No. .... Issued.....

IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED, P.E.  
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 19th day of June,

A.D. 19 95

R. Michael Turnipseed P.E.  
State Engineer

## ATTACHMENT "A"

Statistic figures taken from Nevada Department of Census.

<u>City</u>	<u>Current Population</u>	<u>Ten Year Future Population</u>
Elko	14,736.00	20,925.12
Carlin	2,220.00	3,152.40
Battle Mtn.	3,542.00	5,029.64
Winnemucca	6,134.00	8,710.28
Lovelock	2,069.00	2,937.98
Fernley	5,164.00	7,322.88
Wadsworth	640.00	908.80
Carson City	40,443.00	57,429.06
Reno	133,850.00	190,067.00
Sparks	53,367.00	75,781.14

