

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office DEC 21 1990
Returned to applicant for correction FEB 05 1991
Corrected application filed APR 26 1991
Map filed APR 26 1991

The applicant Eco-Vision, Inc.
3445 Skyline Blvd. of Reno
Nevada 89509

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) Incorporated in Nevada in 1990

- 1. The source of the proposed appropriation is underground
2. The amount of water applied for is 10.00 cfs 7239.66 acre-feet annually
3. The water to be used for municipal purposes
4. If use is for: (a) Irrigation, state number of acres to be irrigated (b) Stockwater, state number and kinds of animals to be watered (c) Other use (describe fully under "No. 12. Remarks") See Attachment "A" (d) Power: (1) Horsepower developed (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point SE 1/4 SE 1/4 Section 5 T.33N., R.52E., MDM at a point from which the NE Corner of Section 4 T.33N., R.52E., MDM bears N 51° 43' 27" E a distance of 7840.5 feet.
6. Place of use T34N R55E MDM (Elko), T33N R52E MDM (Carlin), T32N R45E MDM (Battle Mountain), T36N R38E MDM (Winnemucca), T27N R31E MDM (Lovelock), T20N R24E MDM (Fernley & Wadsworth), T15N R20E MDM (Carson City), T18N R19E MDM, T18N R20E MDM, T19N R18E MDM, T19N R19E MDM, T19N R20E MDM, T20N R18E MDM, T20N R19E MDM, T20N R20E MDM, T21N R18E MDM, T21N R19E MDM, T21N R20E MDM (Reno & Sparks) Use Place of Use Map filed under application 55707
7. Use will begin about January 1 and end about December 31 of each year.
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) a drilled & cased well equipped with a motor, pump & pipeline to the places of use.
9. Estimated cost of works \$150,000.00

10. Estimated time required to construct works four years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use ten years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The total combined duty of applications 55552, 55553, 55554, 55555, 55556, 55557, 55558, 55559, 55562 & 55568 is not to exceed 72,000.00 acre-feet annually

By s/Milton Manoukian
Milton Manoukian
3445 Skyline Blvd.
Reno, Nevada 89509

Compared bc/ bc

Protested See File

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby ~~grant~~ ^{deny} the same, subject to the following limitations and conditions:

Applications 55551, 55552, 55553, 55554, 55555, 55556, 55557, 55558, 55559, 55560, 55561, 55562, 55563, 55564, 55565, 55566, 55567, 55568, 55569, 55570, 55571, 55572, 55573, 55574, 55707, 55708, 55709, 55710, 55711, 55712, 55713, 55714, 55715, 55716, 55717, 55718, 55719, 55720, 55721, 56303, 56304, 56305, 56306, 56307, 56308, 56309, 56310, 56311, 56312, 56313, 56314, 56315, 56316, 56317, 56318, 56319 and 56320 are hereby denied on the grounds that the applicant has not submitted the information requested by the State Engineer and, therefore, the granting of said applications without the additional information would not be in the public interest. No ruling is made regarding the merits of the protests and the request for a 90 day extension of time to supply the additional information is hereby denied.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed _____ cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before _____

Proof of completion of work shall be filed on or before _____

Application of water to beneficial use shall be made on or before _____

Proof of the application of water to beneficial use shall be filed on or before _____

Map in support of proof of beneficial use shall be filed on or before _____

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 19th day of June,

A.D. 19 95.

[Signature]
State Engineer

ATTACHMENT "A"

Statistic figures taken from Nevada Department of Census.

<u>City</u>	<u>Current Population</u>	<u>Ten Year Future Population</u>
Elko	14,736.00	20,925.12
Carlin	2,220.00	3,152.40
Battle Mtn.	3,542.00	5,029.64
Winnemucca	6,134.00	8,710.28
Lovelock	2,069.00	2,937.98
Fernley	5,164.00	7,322.88
Wadsworth	640.00	908.80
Carson City	40,443.00	57,429.06
Reno	133,850.00	190,067.00
Sparks	53,367.00	75,781.14

