

**AMENDED
APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office: DEC 21 1990
 Returned to applicant for correction: FEB 5 1991
 Corrected application filed: APR 5 1991
 Map filed: APR 5 1991 under 55551

The applicant: Eco-Vision, Inc.
3445 Skyline Blvd. of Reno,
Street and No. or P.O. Box No. City or Town
Nevada 89509,
State and Zip Code No.

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)
Incorporated in Nevada in 1990

1. The source of the proposed appropriation is underground
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 10.00 cfs 7239,66 Acre-feet Annually second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet _____

3. The water to be used for municipal purposes
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:
 (a) Irrigation, state number of acres to be irrigated _____

(b) Stockwater, state number and kinds of animals to be watered _____

(c) Other use (describe fully under "No. 12. Remarks") See Attachment "A"

(d) Power:
 (1) Horsepower developed _____
 (2) Point of return of water to stream _____

5. The water is to be diverted from its source at the following point NE 1/4 NE 1/4 Section 10 T.34N., R.51E.,
Describe as being within a 40-acre subdivision of public
MDM at a point from which the NE Corner of said Section 10 bears N 44°58'26" E a
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
distance of 932.2 feet

6. Place of use T34N R55E MDM (Elko); T33N R52E MDM(Carlin); T32N R45E MDM (Battle
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
Mountain); T36N R38E MDM (Winnemucca); T27N R31E MDM (Lovelock); T20N R24E MDM
(Fernley & Wadsworth); T15N R20E MDM (Carson City); T18N R19E MDM, T19N R18E MDM,
T19N R19E MDM, T19N R20E MDM, T20N R19E MDM, T20N R20E MDM (Reno & Sparks) Use
Place of Use Map filed under Application 55551

7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) a drilled & cased well equipped with a motor
State manner in which water is to be diverted, i.e. diversion structure, ditches and
pump & pipeline to the places of use
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$150,000.00

10. Estimated time required to construct works four years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use ten years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Total combined duty of applications 55552, 55553, 55554, 55555, 55556, 55557, 55558, 55559, 55562 & 55568 is not to exceed 72,000.00 acre-feet annually

By s/Milton Manoukian
Milton Manoukian
3445 Skyline Blvd
Reno, Nevada 89509

Compared pm/se

Protested See File

DENIAL
OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby ~~grant~~ ^{deny} the same, subject to the following limitations and conditions:

Applications 55551, 55552, 55553, 55554, 55555, 55556, 55557, 55558, 55559, 55560, 55561, 55562, 55563, 55564, 55565, 55566, 55567, 55568, 55569, 55570, 55571, 55572, 55573, 55574, 55707, 55708, 55709, 55710, 55711, 55712, 55713, 55714, 55715, 55716, 55717, 55718, 55719, 55720, 55721, 56303, 56304, 56305, 56306, 56307, 56308, 56309, 56310, 56311, 56312, 56313, 56314, 56315, 56316, 56317, 56318, 56319 and 56320 are hereby denied on the grounds that the applicant has not submitted the information requested by the State Engineer and, therefore, the granting of said applications without the additional information would not be in the public interest. No ruling is made regarding the merits of the protests and the request for a 90 day extension of time to supply the additional information is hereby denied.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed _____ cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before _____

Proof of completion of work shall be filed on or before _____

Application of water to beneficial use shall be made on or before _____

Proof of the application of water to beneficial use shall be filed on or before _____

Map in support of proof of beneficial use shall be filed on or before _____

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 19th day of June,

A.D. 19 95

[Signature]
State Engineer

ATTACHMENT "A"

Statistic figures taken from Nevada Department of Census.

<u>City</u>	<u>Current Population</u>	<u>Ten Year Future Population</u>
Elko	14,736.00	20,925.12
Carlin	2,220.00	3,152.40
Battle Mtn.	3,542.00	5,029.64
Winnemucca	6,134.00	8,710.28
Lovelock	2,069.00	2,937.98
Fernley	5,164.00	7,322.88
Wadsworth	640.00	908.80
Carson City	40,443.00	57,429.06
Reno	133,850.00	190,067.00
Sparks	53,367.00	75,781.14

