

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office. JAN 14 1991

Returned to applicant for correction. FEB 26 1991

Corrected application filed. MAR 04 1991 Map filed. MAR 04 1991

The applicant. Ralph and Linda Douglas

P.O. Box 1654 of Gardnerville

Street and No. or P.O. Box No. City or Town

Nevada 89410

State and Zip Code No.

hereby make application for permission to change the

Point of Diversion and Place of Use

Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under a portion of Certificate 10556 - Permit 30404

Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and

identify right in Decree.

1. The source of water is. Underground
Name of stream, lake, underground spring or other source.

2. The amount of water to be changed. 7.00 Acre-Feet 0.07 cfs
Second feet, acre feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for. Irrigation
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

4. The water heretofore permitted for. Irrigation
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

5. The water is to be diverted at the following point. within NW 1/4 NE 1/4 Section 6, T.13N., R.20E.
Describe as being within a 40-acre subdivision of public survey and by course and M.D.M., or at a point from which the NW corner of said Section 6 bears N distance to a section corner. If on unsurveyed land, it should be stated. 86 0 02' 30" W, a distance of 3,368.09 feet.

6. The existing permitted point of diversion is located within. NW 1/4 SE 1/4 Section 4, T.12N., R.21E.,
If point of diversion is not changed, do not answer. M.D.M., or at a point from which the NW corner of said Section 4 bears N 41 0 19' 21" W, a distance of 4,887.39 feet.

7. Proposed place of use. is within the NW 1/4 NE 1/4 of Section 6, T.13N., R.20E., M.D.M.
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.

8. Existing place of use. SE 1/4 NW 1/4 of Section 4, T.12N., R.21E., M.D.M., 1.75 Acres.
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.

9. Use will be from. April 1st to October 15th of each year.
Month and Day Month and Day

10. Use was permitted from. April 1st to October 15th of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Pipelines and Ditches
State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes, or drilled well, etc.

12. Estimated cost of works. \$2,500

13. Estimated time required to construct works. 2 Years

14. Estimated time required to complete the application of water to beneficial use 2 Years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

This application effectively proposes to transfer those water rights which are appurtenant to Douglas' property. The subject water rights were formerly held by Altemueller.

By s/Robert O. Anderson  
Robert O. Anderson, P.E.  
P.O. Box 2294, Minden, NV 89423

Compared bc/ bc am/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 30404, Certificate 10556 is issued subject to the terms and conditions imposed in said Permit 30404, Certificate 10556 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is limited to the irrigation of 1.52 acres within the described place of use.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0608 cubic feet per second, and not to exceed 6.08 acre-feet seasonally, and not to exceed a seasonal duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before March 31, 1994

Proof of completion of work shall be filed before April 30, 1994

Application of water to beneficial use shall be made on or before March 31, 1996

Proof of the application of water to beneficial use shall be filed on or before April 30, 1996

Map in support of proof of beneficial use shall be filed on or before April 30, 1996

Completion of work filed.....  
Proof of beneficial use filed.....  
Cultural map filed.....  
Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E., State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 31st day of March,

A.D. 19 92

Michael Turnipseed P.E.  
State Engineer

CANCELLED SEP 03 1998 BECAUSE OF FAILURE

OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

Michael Turnipseed STAFF ENGINEER