

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office FEB 01 1991
Returned to applicant for correction FEB 26 1991
Corrected application filed APR 26 1991
Map filed APR 26 1991

The applicant ECO-VISION, INC.
3445 Skyline Boulevard, of Reno
Nevada 89509, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) Incorporated in Nevada 1990

1. The source of the proposed appropriation is Underground
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 10.00 c.f.s. 7239.66 ac. ft. annually second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.

3. The water to be used for Municipal Purposes
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.

(b) Stockwater, state number and kinds of animals to be watered.

(c) Other use (describe fully under "No. 12. Remarks") See Attachment "A"

(d) Power:

(1) Horsepower developed.

(2) Point of return of water to stream.

5. The water is to be diverted from its source at the following point SE 1/4 NE 1/4 Section 18, T.39N., R.43E.,
MDM at a point from which the SE Corner of Section 36, T.39N., R42E., MDM bears
S 11° 34' 31" W a distance of 20722.4 feet

6. Place of use T33N R52E (Carlin), T32N R45E (Battle Mountain), T36N R38E (winnemucca),
T27N R31E (Lovelock), T20N R24E (Fernley), T15N R20E (Carson City), T18N R19E,
T18N R20E, T20N R18E, T21N R18E, T19N R18E, T19N R19E, T21N R19E, T21N R20E, T19N
R20E, T20N R19E, T20N R20E (Reno & Sparks) T34N R55E (Elko) all within MDM.

Use Place of Use Map filed under Application 55707

7. Use will begin about January 1 and end about December 31, of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) drilled and cased well equipped with
motor, pump and pipeline to place of use.

9. Estimated cost of works \$150,000.00

10. Estimated time required to construct works..... four years  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... ten years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Total combined duty not to exceed 28,900.00 acre-feet annually from the following application 55716, 55717, 55718 and 55719.

By s/Milton Manoukian  
Milton Manoukian  
3445 Skyline Boulevard  
Reno, Nevada 89509

Compared bc/bc

Protested See File

**DENIAL**  
OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby ~~grant~~ deny the same, subject to the following limitations and conditions:

Applications 55551, 55552, 55553, 55554, 55555, 55556, 55557, 55558, 55559, 55560, 55561, 55562, 55563, 55564, 55565, 55566, 55567, 55568, 55569, 55570, 55571, 55572, 55573, 55574, 55707, 55708, 55709, 55710, 55711, 55712, 55713, 55714, 55715, 55716, 55717, 55718, 55719, 55720, 55721, 56303, 56304, 56305, 56306, 56307, 56308, 56309, 56310, 56311, 56312, 56313, 56314, 56315, 56316, 56317, 56318, 56319 and 56320 are hereby denied on the grounds that the applicant has not submitted the information requested by the State Engineer and, therefore, the granting of said applications without the additional information would not be in the public interest. No ruling is made regarding the merits of the protests and the request for a 90 day extension of time to supply the additional information is hereby denied.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed on or before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed..... IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.

Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 19th day of June,

Cultural map filed..... A.D. 19 95

Certificate No..... Issued.....  
*[Signature]*  
State Engineer

## ATTACHMENT "A"

Statistic figures taken from Nevada Department of Census.

<u>City</u>	<u>Current Population</u>	<u>Ten Year Future Population</u>
Elko	14,736.00	20,925.12
Carlin	2,220.00	3,152.40
Battle Mtn.	3,542.00	5,029.64
Winnemucca	6,134.00	8,710.28
Lovelock	2,069.00	2,937.98
Fernley	5,164.00	7,322.88
Wadsworth	640.00	908.80
Carson City	40,443.00	57,429.06
Reno	133,850.00	190,067.00
Sparks	53,367.00	75,781.14