

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office..... **FEB 11 1991**
 Returned to applicant for correction..... **APR 5 1991**
 Corrected application filed.....
 Map filed.....

The applicant..... **Kern River Gas Transmission Company**
295 Chipeta Way
P.O. Box 58900, Mail Stop 10110 , of **Salt Lake City, Utah**
Street and No. or P.O. Box No. City or Town
84158-0900 , hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)..... **The Williams Companies, Inc. Est. 2/3/87 & Tenneco, Inc. Est. 1/23/85, Both Delaware Corporations**

1. The source of the proposed appropriation is..... **Underground water well, located approximately One (1) mile south of Goodsprings, Nevada**
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is..... **10 gallons/minute 500 gallons/day** second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... **N/A**

3. The water to be used for..... **domestic (water for office & general maintenance of compressor Station** Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated..... **N/A**

(b) Stockwater, state number and kinds of animals to be watered..... **N/A**

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed..... **3 H.P.**

(2) Point of return of water to stream..... **N/A**

5. The water is to be diverted from its source at the following point..... **N/A (Well) Location is Township 24 South, Range 58 East, Section 25 S½ SW½ and Section 26 N½**
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

NW¼, M.D.M., containing 26.86 acres (See attached plat)
/Part of Section 25 & 36, Township 24 South, Range 58 East,

6. Place of use..... **Mt. Diablo Meridian. Beginning at a point east 650 ft. along**
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

section line from northwest corner of Section 36, Township 24 South, Range 58 East, M.D.M. and running thence south 700 ft.; thence east 1300 ft. thence north 700 west to said section line; thence north 200 ft.; thence west 1300 ft.; thence south 200 ft. to the point of beginning.

7. Use will begin about..... **January 1** and end about..... **December 31** , of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... **N/A**
State manner in which water is to be diverted, i.e. diversion structure, ditches and

drilled well with 3 HP pump
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works..... **\$23,700**

10. Estimated time required to construct works 5-7 days including mobilization, casing,
if well completed, describe works.
pump test, and pump installation

11. Estimated time required to complete the application of water to beneficial use 6 months (part of compressor station installation)

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

a. Septic system for two fulltime employees to be located at the station.
b. Water to be used for general clean up of station equipment on a periodic basis @ a max. rate of 10 gal/per min.

By s/C. Wayne Richards
295 Chipeta Way, Box 58900,
Mail Stop 10110
Salt Lake City, Utah 84158-0900

Compared cc/ jm

Protested _____

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed _____ cubic feet per second _____

Work must be prosecuted with reasonable diligence and be completed on or before _____

Proof of completion of work shall be filed on or before _____

Application of water to beneficial use shall be made on or before _____

Proof of the application of water to beneficial use shall be filed on or before _____

Map in support of proof of beneficial use shall be filed on or before _____

Completion of work filed _____ IN TESTIMONY WHEREOF, I _____

Proof of beneficial use filed _____ State Engineer of Nevada, have hereunto set my hand and the seal of my

Cultural map filed _____ office, this _____ day of _____,

Certificate No. _____ Issued _____ A.D. 19 _____

State Engineer

CANCELLED JUN 5 1991 BECAUSE OF
FAILURE TO REFILE CORRECTED APPLICATION
WITHIN STATUTORY TIME
[Signature]
STATE ENGINEER