

AMENDED

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAY 16 1991
Returned to applicant for correction JUN 14 1991
Corrected application filed AUG 13 1991
Map filed AUG 13 1991

The applicant Eco-Vision, Inc.
3445 Skyline Blvd of Reno
Street and No. or P.O. Box No. City or Town
Reno, Nevada 89509
State and Zip Code No.

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

Incorporated in Nevada in 1990

1. The source of the proposed appropriation is South Fork of the Humboldt River at Southfork
Name of stream, lake, spring, underground or other source
Dam

2. The amount of water applied for is 600.00 cfs second-feet
One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet 30,000 acre-feet

3. The water to be used for Hydro-Electric Power Generation
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:
(a) Irrigation, state number of acres to be irrigated
(b) Stockwater, state number and kinds of animals to be watered
(c) Other use (describe fully under "No. 12. Remarks")
(d) Power:
(1) Horsepower developed 5000.00 HP
(2) Point of return of water to stream NW 1/4 SE 1/4 Section 4, T.32N., R.55E., MDM

5. The water is to be diverted from its source at the following point NW 1/4 SE 1/4 Section 4, T.32N., R.55E.,
Describe as being within a 40-acre subdivision of public
MDM at a point from which the East 1/4 Corner of said Section 4 bears N 62° 4' 49"
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
E, a distance of 1875.00 feet

6. Place of use NW 1/4 SE 1/4 Section 4, T.32N., R.55E., MDM
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) a hydro-electric generating facility
State manner in which water is to be diverted, i.e. diversion structure, ditches and
at the discharge works below Southfork Dam
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$1,000,000.00

10. Estimated time required to construct works..... six years  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... ten years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

This application is for the non-consumptive use of water from the South Fork of the Humboldt River. Point of return of the water to the river is directly below the proposed power plant.

By s/Milton Manoukian  
Milton Manoukian  
3445 Skyline Blvd  
Reno, Nevada 89509

Compared bc/bc

Protested See file

**DENIAL OF STATE ENGINEER**

This is to certify that I have examined the foregoing application, and do hereby ~~grant~~ <sup>deny</sup> the same, subject to the following limitations and conditions:

Applications 55551, 55552, 55553, 55554, 55555, 55556, 55557, 55558, 55559, 55560, 55561, 55562, 55563, 55564, 55565, 55566, 55567, 55568, 55569, 55570, 55571, 55572, 55573, 55574, 55707, 55708, 55709, 55710, 55711, 55712, 55713, 55714, 55715, 55716, 55717, 55718, 55719, 55720, 55721, 56303, 56304, 56305, 56306, 56307, 56308, 56309, 56310, 56311, 56312, 56313, 56314, 56315, 56316, 56317, 56318, 56319 and 56320 are hereby denied on the grounds that the applicant has not submitted the information requested by the State Engineer and, therefore, the granting of said applications without the additional information would not be in the public interest. No ruling is made regarding the merits of the protests and the request for a 90 day extension of time to supply the additional information is hereby denied.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed on or before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED, P.E.  
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 19th day of June

A.D. 19 95

*[Signature]*  
State Engineer